


1001

CONTAINER PLANTS

Miep Nijhuis

1001

CONTAINER PLANTS



Waqas Ahmad Awan
20/04/2008

20-04-2008

The photos in this book were taken by Bob Aalhuizen, and in cooperation we wish to thank: Ampé Bouw – 't Harde; Gommer nurseries – Dalen; Nel and Jan Franken – Breda; Jeukens nurseries – Delden; Lavrijssen nurseries – Reusel; Princenbosch nurseries – Gilze; Spek nurseries – Heerde; Exotica nurseries – Herenthout, Belgium; Daubas nurseries – France; Rey nurseries – France; and Wisley Garden – England.

First published in Great Britain 2001

© 2000 Uitgeverij J.H. Gottmer / H.J.W. Becht BV

Printed in Holland for the publishers
B.T. Batsford Ltd.
9 Blenheim Court
Brewery Road
London N7 9NT

A member of the Chrysalis Group plc

Originally published under the title *1001 Kuip- en terrasplanten*

© 2000 Uitgeverij J.H. Gottmer/H.J.W. Becht BV, Postbus 160, 2060 AD Bloemendaal,
The Netherlands

All rights reserved. No part of this publication may be reproduced in any form or by any means without the permission of the publisher.

ISBN 0 7134 8652 X

1001

CONTAINER PLANTS

Miep Nijhuis

B.T. Batsford Limited

Contents

Symbols Used	6
Alphabetic Overview of 1001 Container Plants	7
List of Common Names	137
Indices	138

Introduction

For this book I had to make a selection from the multitude of plants suited for cultivation in pots and containers. You will naturally find – as the title indicates – a large number of container plants. Their assortment has recently been increasing; more and more delicate, typical and interesting plants are now coming to Europe from other parts of the world.

Besides the obvious container plants I have added many plants not known officially as container plants, but well worth cultivating in pots on patios and in gardens. I am thinking of flowerbulbs in the early spring, for instance; it is so nice to admire a pot full of flowering crocuses early in February, or a terracotta container with winter aconites. A bit later in the season there are many annuals which give extra colour to a group of container plants by their exuberant blooming.

You will hardly find any hardy garden plants in this book. Of course you can plant them in a pot, but most of the normal garden plants show to much better advantage in direct soil. Moreover, in a pot they usually only flower for a short period, and on the patio we prefer flowers the whole summer long. However a Hosta, with its long green leaves, will often break up a varicoloured group of plants.

For this book, I have selected plants which, either by their long and exuberant bloom, their leaf form and colour, or their smell, are suitable for cultivation in containers and pots. When combined, they can be an asset to any garden plant arrangement.

Particularities of most of the plants are mentioned under the pictures. I have given special attention to the wintering of the plants.

Most of the photographs have been taken in nurseries. I would like to thank the owners of these nurseries for their hospitality.

A special word of gratitude goes to Nel and Jan Franken, and to Guido van Herck. They assisted me when there were problems concerning the particularities or the naming of plants. It was a privilege to cooperate with these connoisseurs.

And finally, I hope that you, the reader, will read and use this book with as much pleasure as I had compiling it.

Geertruidenberg, March 2000

Miep Nijhuis

Symbols Used

The following symbols are used for the conditions under which the plants flourish best and the lowest temperature they may endure:

- ☀ full sun
- ☼ half sun / half shadow
- ☿ shadow

- △△△ plentiful watering
- △△ normal watering
- △ light watering

✿ The figures next to this symbol indicate in which months to expect a good flowering.

❄ The temperature next to this symbol indicates the lowest temperature (in degrees Celsius) the plant can endure without damage.

n.v.t. not applicable
zelden rarely

Important points:

- In order to carry off superfluous water (drainage) it is necessary to have 3 or 4 holes in the container or pot. If there are no holes in the pot, you should pierce them yourself. Put broken pieces of clay flowerpots on the bottom of the pot, with the concave side downwards, or make a layer of expanded clay grains or gravel.
- Plants growing in pots have little room for their roots, and the substrate will be exhausted very soon, so it is necessary to fertilize regularly.
- For plants that flower abundantly and for a long time, weekly nutrition is of particular importance. Even sun-loving plants cannot stand the melting heat of a burning afternoon sun on a tropical summer's day.
- Many plants like to receive plenty of water during blooming, although nearly all plants hate "wet feet". Make sure the roots do not become soaked in times of excessive rain.
- Keeping your plants dry during wintertime does not mean that you should not care for them at all, but the watering must be kept to a minimum. In drizzly winter weather and on short days, it will be more than sufficient to water once a week, presuming your plant is standing in a cool place. When it is freezing it is necessary to give a little extra water, in spite of the advice to "keep the plants rather dry".
- All *Myrtaceae* plants require an acid soil; be wary of root damage when you are repotting. This group of plants must never dry out; if they do, they will lose their foliage, which comes back very slowly.
- Many plants deposit their seeds on the soil (substrate) around the stem – these seeds will then germinate spontaneously. The *Acnistus australis* and *Solanum aviculare* for instance, will produce a lot of young plants around them. You can put the seedlings in small pots, grow them for a few months and maybe give them to "green-fingered" friends.


Owing to an unfortunate error, pictures of *Lavandula dentata* and *Medicago arborea* have appeared twice in this edition.*




ABUTILON 'Lemon Bells'

ABUTILON *megapotamica*

ABUTILON 'Boule de Neige'



ABUTILON 'Mini Orange'

ABUTILON *thompsonii*ABUTILON
MALVACEAE

Propagation: by cuttings.


In the growing season apply a fertilizer weekly; cut hard back in autumn and keep rather dry and frost-free; can winter in a dark place; *abutilons* are obtainable in many colours and every year new cultivars come onto the market; can be grown as a shrub or standard; lovely and grateful plants.




ABUTILON 'Yellow Bells'



ABUTILON hybrid



ABUTILON 'Souvenir de Bonn'



ABUTILON 'Silber Belle'



ABUTILON 'Giant Yellow'



ABUTILON hybrid



ABELIA *engleriana*
CAPRIFOLIACEAE

Small shrub to 75 cm height; bears panicles of white with yellow and purple flowers from summer to autumn; half-hardy; protect from severe frost.



ABELIA *schumannii*
CAPRIFOLIACEAE

Small shrub to 75 cm height; half-hardy; needs sheltered position; protect from severe frost; attractive to bees.



ACCA *sellowiana*
MYRTACEAE

Grow in acid soil; never dry out completely; if desired, prune back after flowering; grows on new shoots; don't disturb the root growth; fruit tastes of pineapple; syn. *Feyoa*.



ACNICTUS *australis*
SOLANACEAE

Propagation: by cuttings.
Trim branches to encourage bushiness; fertilize weekly; cut back before the winter; grow rather dry and frost-free, if necessary in dark position; syn. *Dunalia australis* and *Lochroma australis*.



ACNICTUS *australis alba*
SOLANACEAE

Propagation: by cuttings.
The leaves are larger than the *A. australis*; for cultivation see *A. australis*.



ADENIUM *multiflorum*
APOCYNACEAE

Succulent perennial for a warm position; very floriferous; keep almost dry during winter and grow frost-free.



ADENIUM *obesum*
APOCYNACEAE

Succulent perennial; needs a warm position; water sparingly; keep almost dry during winter; grows in desert areas of Arabia and South Africa.




AEONIUM *manriqueorum*
CRASSULACEAE

Propagation: divide new rosettes.
Fertilize three times during growing season; grow in well-drained soil; keep dry during winter.



AGAPANTHUS *umbellatus*
LILIACEAE

Fertilize weekly; don't repot too often; during winter the plant dies back; can be grown in the dark; in spring give light, warmth, water and fertilizer.

ACACIA *arborea*ACACIA *balleyana*ACACIA
LEGUMINOSAE

Propagation: by seed or cuttings in summer. Apply a fertilizer sparingly; during flowering season, water freely; some *acacias* produce flowers in winter and early spring as *A. dealbata*; *A. retinodes* flower during summer; need some pruning in autumn; keep rather dry during winter; *acacias* resist some cold temperatures; lovely flowering shrubs.







ACACIA 'Chenille'



ACACIA hybrid



ACACIA 'Claire de Lune'


ACACIA *genistifolia*ACACIA *pendula*ACACIA *peragusta*ACACIA *dealbata*ACACIA *pilligaensis*ACACIA *pravissima*




ACACIA *retinodes* 'Lise'



ACACIA *saligna*




ACACIA 'St. Helena'



ACACIA 'Tournaire'



ACACIA *trinervis*



ACACIA *vestita*



AGAPANTHUS *umbellatus alba*

LILIACEAE


Fertilize weekly; don't repot too often; dies back in winter; keep dry and winter frost-free, if necessary in a dark place; in early spring give light, warmth, water and fertilizer.



AGAPANTHUS 'Blue Giant'

LILIACEAE

See *A. umbellatus alba*.



AGAPANTHUS 'Blue Moon'

LILIACEAE

See *A. umbellatus alba*.



AGAVE *americana*

AGAVACEAE


Succulent perennial; decorative plant in combination with flowering conservatory plants; seldom flowers; fertilize sparingly; needs well-drained soil.



AGAVE *americana marginata aurea*

AGAVACEAE

Succulent conservatory plant; rarely flowers; fertilize sparingly; needs well-drained soil.




ALBIZZIA *julibrissin*

LEGUMINOSAE

Propagation: by seed.

Grows into a splendid tree within a few years; could flower as a young plant grown in a pot; water sparingly during winter; needs a sheltered place.



ALBIZZIA *julibrissin* 'Rosea'

LEGUMINOSAE

Propagation: by seed.

Grows into a splendid tree within few years; could be flowering as a young plant in a pot; water sparingly during winter; needs a sheltered place.




ALLAMANDA *carthartica*

APOCYNACEAE

Propagation: by cuttings.

Climbing shrub with glossy foliage; very striking and floriferous; fertilize weekly; keep rather dry and frost-free during winter.



ALLAMANDA *carthartica*

'Cherry Sunset'

APOCYNACEAE

Propagation: by cuttings.

Climbing shrub with glossy foliage; striking and floriferous; fertilize weekly; keep rather dry and frost-free in winter.



ALLAMANDA *carthartica* 'Chocolate Swirl'

APOCYNACEAE

Propagation: by cuttings.

Splendid when grown as a "pillar" around a wire-form; very floriferous; keep rather dry and frost-free in winter.



ALLAMANDA *carthartica hendersonii*

APOCYNACEAE

Propagation: by cuttings.

Flowers are larger than *Allamanda carthartica*; buds are sometimes brown-tinted; the throats have purplish veins; to winter, see above.



ALLAMANDA *schottii*

APOCYNACEAE

Propagation: by cuttings.

Smaller than *Allamanda carthartica*; flower looks more trumpet-shaped.



ALLAMANDA *violacea*

APOCYNACEAE

Propagation: by cuttings.

Erect semi-climbing shrub; to winter, see above; syn. *A. blanchetii*.



ALOE *arborescens*

ALOEACEAE/LILIACEAE

Propagation: separate offsets.

Needs a mineral soil, mixed with coarse sand or perlite; fertilize sparingly; keep rather dry during winter; syn. *A. perfoliate* var. *arborescens*.



ALOE 'Campert Schweinfurth'

ALOEACEAE/LILIACEAE

Propagation: separate offsets.

Needs a mineral soil, mixed with coarse sand or perlite; fertilize sparingly; keep rather dry in winter.



ALONSOA *warscewiczii*

SCROPHULARIACEAE

Propagation: by seed or cuttings in autumn.

Bushy compact shrub; needs at least 5 °C during winter.



ALOYSIA *citrodora*

VERNENACEAE

Propagation: by cuttings.

Twining conservatory plant; lemon-scented foliage; used to make a delicious tea; if wanted, cut back a little in autumn; keep rather dry and frost-free in winter; syn. *Lippia citrodora*.



ALPINIA *purpurata*

ZINGIBERACEAE

Propagation: by dividing the rhizomes.

Fertilize weekly; during winter the plant dies back; keep the rhizomes dry and frost-free during winter; early spring re-pot, give light, water and warmth; needs a warm sheltered place; don't keep the plant too wet for long periods.

**ALYOGYNE *huegii***

MALVACEAE

Propagation: by cuttings.

Fertilize weekly; take care of well-drained soil; cut back in autumn and keep rather dry and frost-free during winter.

**ALYSSUM 'Snow Crystals'**

CRUCIFERAE

Propagation: by seed.

Grown in pots; fertilize weekly; suitable as groundcover under conservatory plants; sows spontaneously.

**ANAGALLIS *monelli***

PRIMULACEAE

Propagation: by seed or cuttings.

Splendid annual for baskets; could be wintered, but the results are often disappointing.

**ANAGALLIS 'Scarlet'**

PRIMULACEAE


Propagation: by seed or cuttings.

Splendid annual; suitable for baskets; could survive the winter but the results are often disappointing.

**ANANAS *comosus* 'Victoria'**

BROMELIACEAE

The fruits of this pineapple have no hard core; after peeling you can eat the whole fruit.

**ANEMONE *blanda***

RANONCULACEAE

Pretty bulbous plant for containers on the terrace in early spring.

**ANEMONE *blanda* 'White Splendour'**


RANONCULACEAE

Pretty bulbous plant for pots on the terrace in early spring.

**ANEMONE *sylvestris***

RANONCULACEAE

Lovely perennial; splendid for pots on the terrace.

**ANGELONIA *alba***

SCROPHULARIACEAE

Propagation: by cuttings.


Very floriferous conservatory plant with fragrant foliage; keep rather dry in winter; in autumn, cut back a little.




ANGELONIA *rosea*
SCROPHULARIACEAE
Propagation: by cuttings.
Floriferous twining plant; keep rather dry during winter; cut back a little in autumn; suitable for training along a wire-netting "pillar."



ANGELONIA *gardneri*
SCROPHULARIACEAE
Propagation: by cuttings.
Very floriferous twining plant; keep rather dry during winter; cut back a little in autumn; suitable for training along a wire-netting pillar.




ANIGOZANTHOS *bicolor*
HAEMODORACEAE
Propagation: by dividing the rhizomes.
Fertilize weekly; let the plant die back before the winter and keep the rhizome dry; replant in spring; give light, water and warmth; 'Kangaroo Paw'.



ANIGOZANTHOS hybrid
HAEMODORACEAE
Propagation: by dividing the rhizomes.
Fertilize weekly; keep rather dry in autumn and winter; replant in spring; give light, water and warmth.



ANIGOZANTHOS *flavidus*
HAEMODORACEAE
See *A. bicolor*.




ANIGOZANTHUS hybrid
HAEMODORACEAE
See *A. bicolor*.



ANIGOZANTHUS hybrid
HAEMODORACEAE
See *A. bicolor*.



ANISODONTHEA *elegans*
MALVACEAE
Propagation: by cuttings.
Fertilize weekly; can be pruned during summer; difficult to survive the winter; it is better to start every spring with young plants.



ANISODONTHEA *capensis*
MALVACEAE
Propagation: by cuttings.
Give plenty of water to prevent yellow foliage; prune regularly during the growing season; fertilize weekly; difficult to survive the winter; preferable above 5 °C.




ANISODONTHEA *scabrosa*

MALVACEAE

Propagation: by cuttings.

Fertilize weekly; tolerant of heat and drought; needs a well-drained soil; difficult to survive the winter; preferable above 5 °C.



ANISODONTHEA *species*

MALVACEAE

Propagation: by cuttings.

Fertilize weekly; tolerant of heat and drought; needs a well-drained soil; difficult to survive the winter; preferable above 5 °C.




ANTHEMIS *punctata subsp. cupaniana*

ASTERACEAE/COMPOSITAE

Propagation: by cuttings.

Fertilize regularly; needs well-drained soil; cut hard back in autumn and keep rather dry and frost-free during winter.



ANTHIRRINUM *hybrid lilac*

SCROPHULARIACEAE

Propagation: by seed.

To winter the plant, cut hard back in autumn and keep rather dry during winter; sows spontaneously (not invasive); splendid for baskets.




ANTHIRRINUM *hybrid white and yellow*

MALVACEAE

Propagation: by seed.

To winter the plant, cut hard back in autumn and keep rather dry during winter; sows spontaneously (not invasive); splendid for baskets.



APTENIA *cordifolia*

AIZOACEAE

Propagation: by cuttings.

Pretty, succulent perennial for a warm and sunny position on the terrace; keep rather dry during winter; it is better to take new cuttings; fertilize only once in spring; intolerant of chalk.




ARABIS *flora plena*

CRUCIFERAE

Propagation: by division.

Low-growing perennial; splendid for containers in spring.




ARAUJIA *sericifera*

ASCLEPIADACEAE

Propagation: by cuttings.


Fertilize weekly; attractive to moths; the flowers are followed by large green seeds in the next year; for training along a pillar of wire-netting; very striking.



ARBUTUS *unedo*

ERICACEAE


In spring, small white flowers are followed by strawberry-like edible fruits; also named the strawberry tree; winter frost-free and water sparingly.



ARBUTUS *unedo* fruit
ERICACEAE




ARCHYRANTHEMUM *frutescens*
COMPOSITAE
Fertilize weekly; cut back in autumn; keep rather dry and frost-free during winter; syn. *Chrysanthemum frutescens*.




ARCTOTHECA *calendula*
ASTERACEAE/COMPOSITAE
Propagation: by seed or division.
Needs a well-drained soil; will survive the winter; it is better to begin in spring with young plants.



ARISTOLOCHIA *fimbriata*
ARISTOLOCHIACEAE
Climber; especially scented; pretty flower.



ARMERIA *juniperifolia*
PLUMBAGINACEAE
Propagation: by cuttings or division.
Cushion-forming low-growing perennial; suitable for containers on the terrace.



ARMERIA *juniperifolia* 'Bevans Variety'
PLUMBAGINACEAE
Propagation: by cuttings or division.
Cushion-forming low-growing perennial; suitable for post on a terrace.



ASARINA *barclayana*
SCROPHULARIACEAE
Propagation: by seed or cuttings.
Climbing plant; suitable for baskets or as a climber; obtainable in various colours; fertilize regularly; difficult to winter; it is better to make cuttings or sow in early spring; syn. *Maurandia*.



ASARINA *barclayana* light variety
SCROPHULARIACEAE
Propagation: by seed or cuttings.
Climbing and trailing perennial; suitable for baskets and as a climber; fertilize weekly; difficult to winter; it is better to make cuttings or to sow early spring; syn. *Maurandia*.



ASARINA *scandens* 'Bride's White'
SCROPHULARIACEAE
Propagation: by seed.
Climbing annual; suitable for baskets; fertilize weekly; syn. *Maurandia*.



ASCLEPIAS currasavica

ASCLEPIADACEAE

Propagation: by cuttings.

The silky white hairs give it the common name 'Silkweed'; fertilize regularly; cut hard back in autumn; keep rather dry and frost-free during winter.



ASCLEPIAS currasavica 'Silky Gold'

ASCLEPIADACEAE

Propagation: by cuttings.

A bright yellow hybrid from *A. currasavica*; cut back in autumn and keep rather dry and frost-free during winter.



ASCLEPIAS fruticosa

ASCLEPIADACEAE


Propagation: by cuttings.

Flowers are followed by spindle-shaped fruits; fertilize regularly; easy to grow; the fruits are very striking; cut back in autumn and keep rather dry and frost-free in winter.



ASCLEPIAS fruticosa seeds pods

ASCLEPIADACEAE



ASCLEPIAS physocarpus

ASCLEPIADACEAE

Propagation: by cuttings.

Fertilize weekly; cut back in autumn; keep rather dry in winter; makes splendid seed pods; syn. *Gomphocarpus physocarpus*.



ASCLEPIAS physocarpus seed pods

ASCLEPIADACEAE



ASTARTEA fascicularis

Conservatory plant; no further details; needs acid soil.



ASYSTASIA gangetica alba

ACANTHACEAE

Propagation: by cuttings.

Fertilize weekly; trim long branches; cut back in autumn and keep rather dry and at 7 °C during winter; valued for its splendid foliage; syn. *Mackaya gangetica*.



AZALEA

ERICACEAE

Needs acid soil; early flowering; lovely on the terrace.



AZORINA *vidalii*
CAMPANULACEAE

Evergreen, succulent shrub; leaves grow in rosette; lovely, waxy, long-living flowers; keep rather dry in winter; intolerant of winter wet; not a long-living shrub; easy to grow from seed.



BACOPA 'Snowflake'
SCROPHULARIACEAE

Propagation: cutting.
Also obtainable in rose and lilac; superb for baskets; fertilize weekly; cut back in autumn and keep rather dry in winter, or winter one plant and take cuttings from this plant early spring.



BARLERIA *micans*
ACANTHACEAE

Propagation: by cuttings.
Pretty conservatory plant; flowering, with erect spikes; fertilize regularly; keep rather dry and frost-free in winter; replant in spring.



BAUHINIA *corringera*
CAESALPINIACEAE

Propagation: by cuttings.
Lovely conservatory plant; resists some grades of frost.




BAUHINIA *tomentosa*
CAESALPINIACEAE

Propagation: by cuttings.
Lovely conservatory plant with slender, trailing stems; keep rather dry and frost-free during winter.




BEAUMONTIA *grandiflora*
APOCYNACEAE

Propagation: by cuttings.
Evergreen vigorous climber with strongly scented flowers; fertilize regularly; cut back after flowering and keep rather dry at 7 °C during winter.



BELOPERONE *guttata*
ACANTHACEAE

Propagation: by cuttings.
Place the plant indoors or in a shed during long periods of rainfall; don't cut back before the winter and water sparingly; fertilize regularly during flowering season; shrimp bush.



BELOPERONE *guttata alba*
ACANTHACEAE

Propagation: by cutting.
For details see *B. guttata*; the white form from *B. guttata*.



BELLIS *perennis*
COMPOSITAE

Propagation: by seed.
Lovely annual; obtainable in many forms and colours.



BEGONIA *species*

BEGONIACEAE

Propagation: by cuttings.

Easy to grow; flowers over a long period; fertilize weekly; upright-growing hybrids need some support; keep rather dry at 5 °C; if desired, trim in March.



BEGONIA *species*

BEGONIACEAE


See *B. species*.



BEGONIA *albo-picta*

BEGONIACEAE

See *B. species*.



BEGONIA *fuchsioides* pink

BEGONIACEAE

See *B. species*.



BEGONIA *fuchsioides*

BEGONIACEAE

See *B. species*.



BEGONIA *maculata*

BEGONIACEAE

See *B. species*.



BEGONIA *maculata rosea*

BEGONIACEAE


See *B. species*.



BEGONIA *olsoniae*

BEGONIACEAE

See *B. species*.




BEGONIA *sutherlandii*


BEGONIACEAE

Propagation: by bulbils.

B. sutherlandii produces bulbils in the leaf axils; keep dry in peat during winter and replant in spring; old plants can be thrown away; fertilize weekly during growing season.



BOUGAINVILLEA 'Appleblossom'




BOUGAINVILLEA 'California Gold'

BOUGAINVILLEA
NYCTAGINACEAE

Propagation: by cuttings.

Bougainvilleas are not easy to grow; *B. glabra* is the best; it is not difficult to get this plant flowering again.


B. spectabilis needs more attention; grow indoors as long as possible after the winter, until the nights get warmer; they need a sheltered place; before flowering, water sparingly; during flowering water freely, but wait till the plant is rather dry; bring *B. spectabilis* indoors early (September) to adapt; water sparingly during winter; replant in spring and than water freely.




BOUGAINVILLEA *glabra*



BOUGAINVILLEA 'Dwarf Pink'




BOUGAINVILLEA *glabra* light

BOUGAINVILLEA *glabra variegata*BOUGAINVILLEA *glabra variegata*

BOUGAINVILLEA 'Italia Pink'



BOUGAINVILLEA 'Mini Thay'



BOUGAINVILLEA 'Rosenka'



BOUGAINVILLEA 'Sakura'

BOUGAINVILLEA *spectabilis*


BOUGAINVILLEA hybrid



BOUGAINVILLEA 'Marie'



BOUGAINVILLEA 'Australian Gold'




BOUGAINVILLEA hybrid



BOUGAINVILLEA hybrid



BOUGAINVILLEA



BOUGAINVILLEA *sandariana*




BOUGAINVILLEA hybrid



BERGENIA 'Silberlicht'
SAXIFRAGACEAE

Propagation: by division.


Pretty perennial; flowering early spring; when grown in pots, lovely plants for terraces; fertilize regularly.



BERGENIA 'Admiraal'
SAXIFRAGACEAE

Propagation: by division.


Lovely perennial; flowering early spring; a beautiful terracelant when grown in pots; fertilize regularly.



BIDENS *ferulifolia aurea*
COMPOSITAE

Propagation: by seed or cuttings.


Vigorous annual; suitable for hanging baskets; fertilize weekly during growing season; flowers have a honey-smell; syn. 'Coreopsis'.



BOUVARDIA *longiflora*
RUBIACEAE

Propagation: by cuttings.

Trumpet-shaped, white, fragrant flowers; needs extra care; fertilize regularly; keep rather dry during winter.



BOUVARDIA *scabrada*
RUBIACEAE

Propagation: by cuttings.

Slow-growing conservatory plant; fertilize regularly during growing season; keep rather dry in winter; trim untidy stems in spring.



BOWIEA *volubilis*
HYACINTHACEAE

Propagation: by seed.

Pretty succulent small plant; lovely in baskets because of the whirly growth and green-white flowers; keep the bulbs dry in winter; in spring, replant in mineral soil mixed with coarse sand.



BRACHYSCOME *iberifolia*
COMPOSITAE

Propagation: by cuttings or seed.

Pretty hanger that needs plenty of water; fertilize regularly; obtainable in white, pink and blue.



BRACHYSCOME
COMPOSITAE

Propagation: by seed or cuttings.

Lovely hanger; needs plenty of water; fertilize regularly; leaves are more rough than from *B. iberifolia*; cut back in autumn and keep rather dry in winter; make cuttings in spring.



BRACHYSCOME *iberifolia*
COMPOSITAE

Propagation: by cuttings.

Lovely plant for baskets; needs plenty of water; cut back in autumn and keep rather dry in winter; take cuttings in spring.



BRASSICA *oleracea*
CRUCIFERAE/BRASSICACEAE

Propagation: by seed.


Lovely annual; gives colour in winter; sow in spring; needs a well-drained soil; best colours are at a temperature under 10 °C.



BRASSICA *oleracea*
CRUCIFERAE/BRASSICACEAE

Propagation: by seed.


Lovely annual; gives colour during winter; sow early spring; needs well-drained soil; best colours are at a temperature under 10 °C.



BRASSICA *oleracea*
CRUCIFERAE/BRASSICACEAE

Propagation: by seed.


Lovely annual; gives colour in winter; sow early spring; needs well-drained soil; best colours are at a temperature under 10 °C.



BRASSICA *oleracea*
CRUCIFERAE/BRASSICACEAE

Propagation: by seed.

Lovely annual; gives colour in winter; sow early spring; needs well-drained soil; best colours are at a temperature under 10 °C; a flowering cabbage.



BRILLIANTESIA *violacea*
Little is known about this plant.



BRUNFELSIA *hopeana*
SOLANACEAE

Propagation: by cuttings.

Fertilize regularly; scented flowers; trim in autumn and then keep rather dry and at a minimum of 10 °C during winter.



BRUNFELSIA *pauciflora*
SOLANACEAE

Propagation: by cuttings.


A compact-growing evergreen shrub; the blue flowers quickly fade to white (this gives the plant its name, 'Yesterday, Today and Tomorrow'); floriferous; fertilize regularly; keep rather dry and at a minimum of 10 °C in winter.



BRUNFELSIA *pauciflora* 'Macrantha'
SOLANACEAE

Propagation: by cuttings.

Evergreen shrub with flowers larger than *B. pauciflora*, and less fading; flowers well; fertilize regularly; during winter keep dry and at a minimum of 10 °C.



BUDDLEYA *davidii* 'Pink Delight'
LOGANIACEAE

Propagation: by cuttings.

Hardy shrub with lovely dark pink flowers; in spring, cut hard back to about 30 cm. above ground level.



BRUGMANSIA *arborea* 'Engels Glocken'
Dwarf; ca. 1.20 m; floriferous



BRUGMANSIA *aurea x arborescens*
Flower held out; fragrant.

BRUGMANSIA
SOLANACEAE


Propagation: by cuttings.

Till some years ago this plant was named *Datura*. Needs plenty of water and weekly fertilizer during growing and flowering season; easy to winter; cut hard back in autumn and keep almost dry in winter, if necessary in dark; the plant loses its foliage and therefore needs little water. In spring, replant and give light, water and fertilizer; the plant absolutely requires an annual replanting to give sufficient growth and flowering.

Brugmansia is a vigorous shrub from 1 to 3 meters high; flowers can be hanging, semi-hanging or held out; they are fragrant, all different and some very strong; a striking shrub; worth growing if you have plenty of space. There is also an annual *Brugmansia* grown from seed.



BRUGMANSIA *candida* 'Cinderella'
A new variety with splendid white and salmon-coloured flower; floriferous.



BRUGMANSIA *candida* 'Enorm Wit'
Very large trumpet-shaped flower held out.



BRUGMANSIA *candida* 'Weisz'
Weeping, firm flower; deliciously scented.



BRUGMANSIA 'Gelber Riese'
Huge, firm flower.



BRUGMANSIA 'Maya'
A new variety; dwarf ca. 1,25m; pale salmon; variegated foliage.




BRUGMANSIA *suaveolens* 'Gold'
Flower held out; free flowering.



BRUGMANSIA *suaveolens* 'Goldtraum'
Large flower; free flowering.




BRUGMANSIA *suaveolens* 'Silky Rose'
Flower held out; free flowering.



BRUGMANSIA *versicolor* 'Jatmer'
Large orange, weeping flower.



BRUGMANSIA *versicolor*
White to salmon, weeping flower; huge flower.



BRUGMANSIA *versicolor* 'Kew'
White to pink flower, held out.



BRUGMANSIA hybrid




BRUGMANSIA 'Rosa Glocken'

BRUGMANSIA *candida* 'Rosalie'BRUGMANSIA *sanguinea flava*BRUGMANSIA *candida plena*BRUGMANSIA *versicolor* hybrid


BRUGMANSIA hybrid




BRUGMANSIA hybrid



BRUGMANSIA 'Pride of Hannover'




BRUGMANSIA



BUDDLEYA *davidii* 'Royal Red'
LOGANIACEAE

Prapagation: by cuttings.
Hardy shrub with dark magenta flowers; in spring, cut hard back to about 30 cm. above ground level.




BULBINE *alcooides*
LILIACEAE/ASPHODELACEAE

Hanging; a succulent tuberous perennial with creeping rhizome; somewhat untidy, but lovely in baskets; keep the rhizome dry during winter and replant in spring; in various colours: yellow, orange and pink.




BULBINE *calocasina*
LILIACEAE/ASPHODELACEAE

Grows in South Africa in rocky places and desert grasslands; needs well-drained soil; keep rather dry in winter.




BUXUS *macrophylla rotundifolia*
BUXACEAE

Propagation: by cuttings.
Very suitable for topiary; needs extra fertilizer after clipping; needs well-drained soil; grown in pots; place out of the sun during a period of frost.



BUXUS *sempervirens*
BUXACEAE

Propagation: by cuttings.
Very suitable for topiary; needs extra fertilizer after clipping; needs well-drained soil; grown in pots; place out of sun during a period of frost.



BUXUS *sempervirens*
BUXACEAE

Propagation: by cuttings.
A good example of how topiary can be applied.



CAESALPINA *gilliesii*
LEGUMINOSAE/CAESALPINIACEAE

Propagation: by cuttings.
Striking, with very long protruding stamens; needs to be fertilized weekly and kept in a warm place; cut back in autumn and keep rather dry in winter; not easy to get flowering plants, but well worth growing.



CALAMINTHA *nepeta subsp. nepeta*
LAMIACEAE

Propagation: by division.
A hardy perennial; splendid for pots; named 'calamint'; fragrant; attractive to bees.



CALLISTEMON *citrina*
MYRTACEAE

Propagation: by cuttings.
During flowering season give soft water and fertilize moderately; in winter water sparingly, but do not let the plant dry out completely; prevent leaf drop as it is hard to get new leaves; not all callistemons flower well; *C. laevis* is floriferous, *C. citrina* also flowers well, the foliage is lemon scented.

CAMELLIA *japonica*CAMELLIA *japonica* 'Adolph Audusson'CAMELLIA
THEACEAE

Propagation: by cuttings.

Give soft water and fertilize weekly; many *camellias* are half-hardy; give them a sheltered place, protected from wind and sun; at severe frost the foliage evaporates water but is unable to get water from the frozen soil; *camellias* make their buds in autumn and need a cool place in winter; do not let them dry out completely, but too much water is disastrous: keep the golden mean.


CAMELLIA *japonica*CAMELLIA *japonica* 'Apollo'CAMELLIA *japonica* 'Benodet'



CAMELLIA *japonica* 'Debbie'



CAMELLIA *japonica* 'Debutante'



CAMELLIA *japonica* 'Hagoroma'




CAMELLIA *japonica* 'Italiana'



CAMELLIA *japonica* 'Japonia Elegans'




CAMELLIA *japonica* 'Jean Claris'



CAMELLIA *japonica* 'Marguerita Gouillon'



CAMELLIA *japonica* 'Mijakodori'



CAMELLIA *japonica* 'Mrs Tingley'



CAMELLIA *japonica* 'Snowball'



CAMELLIA *sasangua* 'Hiriju'



CAMELLIA *japonica* 'Triumphans'



CAMELLIA *sasangua* 'Cleopatra'



CAMELLIA *sasangua* 'Kanjiro'



CAMELLIA *reticulata* 'Dream Girl'




CAMELLIA 'Daintiness'



CAMELLIA 'Sapinic Blanc'




CAMELLIA 'Peach Blossom'



CALLISTEMON *citrina* seedpods
MYRTACEAE

Propagation: by cuttings.

For details, see above; all *callistemons* are named 'bottlebrush'.



CALLISTEMON *citrina splendens*
MYRTACEAE

Propagation: by cuttings.


Give soft water and moderate fertilizer during flowering season; the flowers of *C. citrina splendens* are larger than those from *C. citrina* and have white tips on the "bristlehairs."



CAMPSIS *grandiflora*
BIGNONIACEAE

Propagation: by cuttings.

A vigorous, deciduous climber; frosthardy: -10 °C, but flowering is better in a warm position.



CAMPSIS *radicans* 'Fleming'
BIGNONIACEAE

Propagation: by cuttings.


A deciduous climber with large panicles of orange trumpet-shaped flowers; frosthardy.



CAMPSIS *radicans* 'Flava'
BIGNONIACEAE

Propagation: by cuttings.


Deciduous climber with large yellow panicles of trumpet-shaped flowers; frosthardy.



CAPPARIS *frondosa*
CAPPARIDACEAE

Propagation: by cuttings.

Keep dry during winter; resists -2 °C; needs a warm place in summer.



CAPSICUM *annuum*
SOLANACEAE

Propagation: by seed.

Annual pepper; sow in late winter; needs well-drained soil; give plenty of fertilizer; flowers are insignificant; 8-9 peppers appear (poisonous).



CAPSICUM *annuum*
SOLANACEAE

Propagation: by seed.

Annual pepper; sow late in winter; needs a well-drained soil; fruit is poisonous; fertilize weekly.



CARDAMINE *quinquefolia*
BRASSICACEAE

Propagation: by division.



Early flowering; after flowering the plant disappears; after spring it comes back into flower.



CANNA x 'Oiseau de Feu'

CANNA *indica* yellowCANNA
CANNACEAE

Propagation: by seed or division of the rhizomes. Needs well-drained soil and a warm place; fertilize weekly; dead-head to promote continued flowering; dies back in autumn; store the rhizomes frost-free in sand or peat; replant in spring; divide the rhizomes into short sections, each with a prominent eye; pot these small rhizomes and give them a warm place; soak seed for 24 hours in warm water; sow early; germinates irregularly.

CANNA *indica* redCANNA *indica* red-yellow striped

CANNA purple



CARISSA *grandiflora*
APOCYNACEAE

Propagation: by cuttings.


Needs to winter at 10 °C; trim occasionally into shape; large tasty fruits; flowers are very fragrant.



CARISSA *macrocarpa*
APOCYNACEAE

Propagation: by cuttings.

Fertilize moderately; trim occasionally into shape; winter at 10 °C; after some years, edible fruits appear.



CARISSA *nana*
APOCYNACEAE

Propagation: by cuttings.


Flowers year-round, with a single flower; keep rather dry in winter, at a minimum of 10 °C.



CARPENTERIA *californica*
HYDRANGEACEAE

Propagation: by cuttings.


Evergreen shrub; frosthardy; loses leaves in severe winters; trim the shrub if it grows too large; needs well-drained soil.



CASSIA *artemisioides*
LEGUMINOSAE

Propagation: by cuttings.


Shrub with pinnate leaves and scented flowers; fertilize weekly; very floriferous; cut back in autumn and keep rather dry and frost-free in winter; syn. *Senna artemisioides*.




CASSIA *corymbosa*
LEGUMINOSAE

Propagation: by cuttings.

Fertilize weekly; easy to grow; cut hard back in autumn and keep rather dry during winter; syn. *Senna corymbosa*.




CASSIA *corymbosa*
LEGUMINOSAE



CASSIA *didymobotria*
LEGUMINOSAE

Propagation: by cuttings.


Intolerant of too much water; during a long period of rainfall, keep in a dry place (e.g. under a shed); keep rather warm and dry during winter; don't let the plant dry out; not easy, but very striking.




CASSIA *floribunda*
LEGUMINOSAE

Propagation: by cuttings.

Fertilize regularly; the growth is more compact than *C. corymbosa*; very floriferous; cut hard back in autumn; keep rather dry at 5 °C during winter; can be placed in a dark position; syn. *Senna floribunda*.



CASSIA *floribunda*
LEGUMINOSAE
Flowering shrub.




CEANOTHUS *thyrsiflorus* var. *repens*
OLEACEAE
Propagation: by cuttings.
Fertilize weekly; easy to grow; cut back after flowering; keep rather dry and frost-free during winter.



CELOSIA *argentea*
AMARANTHACEAE
Propagation: by seed.
Annual; sow early spring; needs well-drained soil; water carefully: not too much, not too little.



CELOSIA *argentea pyramidalis*
AMARANTHACEAE
Propagation: by seed or cuttings.
Annual; sow in autumn or early spring; needs well-drained soil; water carefully.




CENTRATHERUM *camphorum*
Propagation: by cuttings.
Cut back after flowering; keep rather dry and warm (10 °C) during winter; rare.



CENTRADENIA
MELASTOMACEAE
Propagation: by cuttings.
Trailing perennial; does not flower before its second year; fertilize weekly; cut back in autumn and keep rather dry at 7 °C in winter.



CEPHALOTAXUS *harringtoniana* 'Fastigiata'
CEPHALOTAXACEAE
Propagation: by seed or cuttings.
Needs a cool place and well-drained soil; lovely conifer.



CERATOSTIGMA *plumbaginoides*
PLUMBAGINACEAE
Propagation: by cuttings.
Lovely colours in autumn; in sheltered places, frosthardy; cut back in autumn and keep rather dry in winter (preferably indoors).



CESTRUM *aurantiacum*
SOLANACEAE
Propagation: by cuttings.
Vigorous shrub; fertilize weekly; lightly fragrant at night; white berries; cut hard back in autumn and keep rather dry in winter, if necessary in the dark.



CESTRUM hybrid apricot coloured
SOLANACEAE

Propagation: by cuttings.

Vigorous shrub; fertilize weekly; cut hard back in autumn and keep rather dry in winter.




CESTRUM *newellii*

SOLANACEAE

Propagation: by cuttings.

Slender shrub; very floriferous; fertilize weekly; cut hard back in autumn and keep rather dry in winter.



CESTRUM *nocturnum*

SOLANACEAE

Propagation: by cuttings.

Fertilize weekly; if flowering grows less, trim long stem to encourage new flowering; cut hard back in autumn and keep rather dry in winter; scented.



CESTRUM *roseum*

SOLANACEAE

Propagation: by cuttings.

Flowers appear earlier than from *C. Newellii*; fertilize weekly; cut hard back in autumn and keep rather dry in winter.



CESTRUM *subpulverentum*

SOLANACEAE

Propagation: by cuttings.


Floriferous shrub; fertilize weekly; cut back in autumn and keep rather dry in winter, if necessary in the dark.



CHAMAECYPARIS *lawsoniana* 'Nana'

CUPRESSACEAE


Pretty spherical-shaped dwarf conifer; yellow leaves; trim from spring to end of summer, but don't cut into older wood.



CHAMAEROPS *humilis*

PALMAE

Palm; grows little in poor soil, but grows well in fertile soil; may survive a short period of frost; tolerant of drought.




CHAMELAUCIUM *uncinatum*

MYRTACEAE

Propagation: by cuttings.

Drought-tolerant; fertilize once a month; needs a sandy soil; aromatic foliage; in winter keep rather dry and frost-free.



CHIONODOXA *luciliae*

HYACINTHACEAE

Bulbous perennial; early-flowering and completely hardy; plant bulbs 8 cm deep.

**CHOISYA 'Aztec Pride'**

RUTACEAE

Propagation: by cuttings.


Evergreen shrub with fragrant flowers; after flowering, cut hard back; the plant will make new shoots in a few weeks; frosth Hardy; the leaves are smaller than *C. ternata*.

**CHOISYA ternata**

RUTACEAE

Propagation: by cuttings.

Evergreen shrub with fragrant white flowers; if the plant becomes too large, cut back after flowering; it will make new shoots in a few weeks; frosth Hardy.

**CHOISIA insignis**


BOMBACEAE

Small tree or rather big conservatory plant; very spiny; belongs to the same family as the kapok tree; winter at 2 °C.

**CHOISIA speciosa**


BOMBACEAE

Small tree; sharp spines on the trunks; flowers in autumn, mostly when the tree has lost its foliage; winter at 2 °C.

**CHRYSIDOCARPUS lutescens**

PALMAE

Graceful palm; keep rather dry in winter at 10 °C.

**CHRYSANTHEMUM frutescens**

COMPOSITAE

Propagation: by cuttings.

Fertilize weekly; cut back in autumn and keep rather dry at 4 °C in winter; syn. *Argyranthemum frutescens*.

**CHRYSANTHEMUM frutescens** double

COMPOSITAE

Propagation: by cuttings.


Fertilize weekly; cut back in autumn and keep rather dry at 4 °C in winter; syn. *Argyranthemum frutescens*.

**CHRYSANTHEMUM frutescens**

COMPOSITAE

Propagation: by cuttings.

Fertilize weekly; cut back in autumn and keep rather dry at 4 °C during winter; syn. *Argyranthemum frutescens*.

**CHRYSANTHEMUM paludosum**


COMPOSITAE

Propagation: by seed.

Fertilize weekly; pretty annual; syn. *Leucanthemum paludosum*.



CITRUS *aurantiacum* var. 'Myrtifolia'
Evergreen; fragrant flowers.



CITRUS x *citrofortunella microcarpa*
Syn. *Citrus mitis*; used for its perfume.

CITRUS RUTACEAE

Propagation: by cuttings.

Expensive shrubs; not easy to grow; they need a warm and sunny place with plenty of light and moderately soft water; sometimes the plant bears flowers and fruits together; they need a mineral soil; NB: *Citrus* don't like a fertile soil; winter at 5 °C in a light place with plenty of fresh air; water sparingly in winter.



CITRUS *clementine* 'Marie Sol'




CITRUS *limon*



CITRUS *kumquat*
The well known kumquat fruit.




CITRUS *limon* 'Boeddhas Hand'
A sort of lemon; has fingered fruits.




CITRUS *limon* 'Meyer'
Produces lemons throughout the year.



CITRUS
Large shrub.




CITRUS *limon quatre saisons*
Bears fruits throughout the year; somewhat smaller than the common lemon.



CITRUS 'Mandarinier'
Bears large mandarins.



CITRUS *limequat*
A hybrid between kumquat and lemon; very delicious.




CITRUS *medica*




CITRUS *medica* 'Ethrog'

One of the first citrus plants, introduced to the Mediterranean region; used for making crystallised peel.




CITRUS *mitis*

Bears fruit throughout the year; flowers are used in the perfume industry.




CITRUS *pompelo rose*

A vigorous grape-fruit.




CITRUS *piusta*

Named lemon-mandarin.




CITRUS *reticulata* 'Satsuma'

Compact growing shrub with delicious sweet fruits.




CITRUS *reticulata* 'Satsuma'

Fruits.



CITRUS *sinensis* 'Navelate Orange'

Origin unknown; probably South China and Vietnam.



CITRUS *sinensis* 'Navelate'




CISTUS *cyprius*

CISTACEAE

Propagation: by cuttings.

Fertilize weekly; early flowering; lovely in spring on the terraces; cut back in autumn and keep rather dry and frost-free in winter.



CISTUS *salviifolius*

CISTACEAE

Propagation: by cuttings.

Fertilize weekly; lovely when grown on terraces in spring; cut back in autumn and keep rather dry during winter.




CLEMATIS *cartmanii* 'Joe'

RANUNCULACEAE

Propagation: by cuttings.

Climbing perennial; early flowering; half-hardy; splendid in baskets.



CLEMATIS *forsteri*

RANUNCULACEAE

Propagation: by cuttings.

Climbing perennial; suitable for baskets; could be pruned after flowering.



CLEMATIS 'Diana'

RANUNCULACEAE

Propagation: by cuttings.

Climbing perennial; continuously flowering; in spring, trim untidy stems.




CLEOME *spinosa* 'Cherry Queen'

CAPPARIDACEAE

Propagation: by seed.

Annual; needs sandy, well-drained soil; give plenty of fertilizer; sow at 18 °C in spring; plant out not before May; height 1.20 m.



CLEOME *spinosa* 'Helen Campbell'

CAPPARIDACEAE

See *C. spinosa* 'Cherry Queen'.



CLEOME *spinosa* pink

CAPPARIDACEAE

See *C. spinosa* 'Cherry Queen'.



CLERODENDRON *bungei*

VERBENACEAE

Propagation: by cuttings.

Fertilize weekly; when grown outdoors in the garden, nearly hardy; when grown in pots, cut hard back in autumn and keep dry and frost-free during winter; flowers are scented.




CLERODENDRON *fragrans*

VERBENACEAE

Propagation: by cuttings.

Evergreen shrub; flowers throughout the year with white and pink fragrant flowers; probably trim in autumn; keep rather dry at 10 °C in winter; syn. *C. philippinum*.



CLERODENDRON *paniculatum*
'Starshine'

VERBENACEAE

Propagation: by cuttings.

Evergreen shrub with splendid red-orange flowers in panicles; fertilize freely; if desired, trim in autumn; keep rather dry at 10 °C during winter.




CLERODENDRON *speciosissimum*

VERBENACEAE

Propagation: by cuttings.

Evergreen shrub with scarlet flowers in panicles; blue berries appear in autumn; cut hard back in autumn and keep rather dry at 10 °C in winter.



CLERODENDRON *splendens*

VERBENACEAE

Propagation: by cuttings.

Evergreen twining shrub; fertilize regularly; trim long slender stems in autumn; keep rather dry at 10 °C in winter.



CLERODENDRON *thomsoniae*

VERBENACEAE

Propagation: by cuttings.

Twining climber; height to 4 m; fertilize weekly; needs 14 °C to survive the winter; in autumn trim long stems; water sparingly in winter.



CLERODENDRON *trichomotum*

VERBENACEAE

Propagation: by cuttings.

Frost-hardy shrub; fragrant flowers; blue berries appear in autumn; fertilize regularly; when grown in pots, trim in autumn and keep rather dry and frost-free in winter.



CLERODENDRON *ugandense*
VERBENACEAE

Propagation: by cuttings.

Fertilize freely; cut hard back in autumn and keep rather dry and frost-free in winter; syn. *C. myricoides* 'Ugandense'; very unusual colour.



CLERODENDRON *wallichii*
VERBENACEAE

A new variety among the *clerodendrons*; lovely conservatory plant with weeping panicles; fertilize freely; trim after flowering and keep rather dry during its rest period; flowers in winter.



CLIANTHUS *puniceus*
LEGUMINOSAE

Propagation: by cuttings.

Vigorous climber; fertilize weekly; dead-head; cut hard back in autumn and keep rather dry and frost-free in winter; very striking flower.



CLITORIA *ternata*
FABACEAE

Propagation: by seeds

Lovely climber that grows to 2 m in height; suitable for indoors; fertilize freely; trim in autumn and keep rather dry and frost-free during winter.



COBAEA *scandens*
POLEMONIACEAE

Propagation: by seed or cuttings.

Vigorous climber; needs well-drained soil; fragrant; sow at 18 °C; place outdoors not before mid-May; mostly grown as an annual; flowers rather late.



COFFEA *arabica*
RUBIACEAE

Propagation: by cuttings.

During growing season, give plenty of fertilizer and soft water; water sparingly during winter; can be trained.



COLEUS *brisana*



COLEUS 'Meltencave' or 'Aubergine Jewel'



COLEUS 'Morgelava'



COLEUS 'Ottoman'



COLEUS 'Pineapple Beauty'



COLQUHOUNIA *coccinea* var. *vestita*

LABIATAE/LAMIACEAE

Propagation: by cuttings.

Evergreen shrub for a warm place; in winter, keep rather dry and frost-free.




CONVOLVULUS *cneorum*

CONVOLVULACEAE

Propagation: by cuttings.

Pretty, silver-grey leaves; fertilize weekly; cut back in autumn and winter rather dry at 3 °C; needs a cold period to get flowers next year.



CONVOLVULUS *mauritanicus*

CONVOLVULACEAE

Propagation: by cuttings.

Trailing perennial; fertilize weekly and give plenty of water; easy to grow; no problems surviving the winter; cut back in autumn and keep rather dry at 3 °C; syn. *C. sabatius*.



CORDALINEA *australis*

AGAVACEAE

Propagation: remove suckers.

Fertilize regularly; young plant can be pinched to encourage branching; water sparingly in winter; remove dry leaves in spring; only very old plants bloom.



OROKIA *cotoneaster*

ESCALONEACEAE

Propagation: by semi-ripe cuttings in summer.

Intricately-branched shrub; needs well-drained soil; resists some grades of frost; scented flowers.



CORREA 'Mannii'

RUTACEAE

Propagation: by cuttings.

Evergreen shrub; winter-flowering; fertilize weekly; needs soft water and acid soil; syn. *C. Harrisii*; flowers are carmine; inside pink; can be trained.



COSMOS *atrosanguineus*

COMPOSITAE


Chocolate-scented flowers; fertilize weekly; lift the tubers and keep frost-free during winter; replant in spring and give rather high temperature to bud; syn. *Bidens atrosanguineus*.



COSTUS *cuspidatus*
ZINGERACEAE

Propagation: by cuttings.

Fertilize regularly; needs a fertile soil; don't disturb the rootgrowth; keep in a warm, humid place.



CRASSULA 'Jarcocaul'
CRASSULACEAE


Propagation: by cuttings.

A succulent perennial; half-hardy; needs well-drained soil.



CRINUM *powelli*
AMARYLLIDACEAE

Bulbous perennial; fertilize regularly; fragrant; keep moist after flowering; re-pot only when absolutely necessary; the sap of the plant may irritate skin.




CROCUS *tommasinianus* 'Barrs Purple'
IRIDACEAE

Bulbous perennial; flowers very early; is somewhat thinner than *C. tommasinianus*; increases freely.



CROCUS *tommasinianus*
IRIDACEAE

Bulbous perennial; flowers very early; increases freely.



CROCUS 'Zwanenburg Brons'
IRIDACEAE

Bulbous perennial; early flowering; very suitable for growing in pots.




CROTULARIA *agatiflora* subsp. *imperialis*

LEGUMINOSAE

Propagation: by cuttings.

Cut flower stem hard back after flowering; the plant branches out and will flower again; fertilize weekly; cut hard back in autumn and keep rather dry at 7 °C in winter.



CRYPTOSTEGIA *grandiflora*
ASCLEPIADACEAE

Propagation: by cuttings.

Freely-branching climber with leathery leaves; flowers appear in axils; cut hard back in autumn; can also be grown as a shrub; keep rather dry in winter.



CUPHEA *celisa*
LYTHRACEAE

Propagation: by cuttings.

Cut back after flowering; the plant will flower again; can flower from early summer until late autumn; cut back in autumn and keep rather dry in winter.



CUPHEA *hyssopifolia*

LYTHRACEAE

Propagation: by cuttings.

Fertilize weekly; seen in white, pink and purple colours; cut back in autumn and keep rather dry in winter; easy to grow.



CUPHEA *ignea*

LYTHRACEAE

Propagation: by cuttings and seed.

Fertilize weekly; cut back in autumn and keep rather dry and frost-free in winter; the well-known 'Cigar' flower.




CUPHEA *micropetala*

LYTHRACEAE

Propagation: by cuttings.

Compact-growing conservatory plant; fertilize weekly; cut back in autumn and keep rather dry and frost-free in winter.




CUPHEA *species*

LYTHRACEAE

Propagation: by cuttings.

Very floriferous; fertilize weekly; cut back in autumn and keep rather dry and frost-free in winter.



CUPHEA *species*

LYTHRACEAE

propagation: by cuttings.

Low-growing shrub; fertilize weekly; trim in autumn and keep rather dry and frost-free in winter.




CUPHEA *species*

LYTHRACEAE

Propagation: by cuttings.

Floriferous; fertilize weekly; trim in autumn and keep rather dry and frost-free during winter.



CUPHEA species

LYTHRACEAE

Propagation: by cuttings.

Fertilize weekly; cut back in autumn; keep rather dry and frost-free in winter.




CUPHEA species

LYTHRACEAE

Propagation: by cuttings.

Fertilize weekly; cut back in autumn; keep rather dry and frost-free in winter.



CURCUMA alisilatifolia

ZINGIBERACEAE

Propagation: by dividing the rhizomes.

Perennial with aromatic (gingery) rhizomes; fertilize weekly; dies back after flowering; keep rather dry and frost-free; replant in February and increase temperature to bud.



CYCAS revoluta

CICADECEAE

Sago palm; slow-growing; females produce orange fruits; fertilize sparingly; only older plants will come into flower; keep rather dry at 15 °C in winter; the pith produces sago.




CYPHOMANDRA betacea

SOLANACEAE

Propagation: by cuttings.


Vigorous; grown-up plants need plenty of water; water young plants carefully (too much water leads to leaf drop); fertilize weekly; cut back in autumn; keep rather dry at 10 °C during winter.



CYPHOMANDRA betacea fruits

SOLANACEAE

Vigorous; called Tree tomato; end of summer the plant produces tomato-like edible fruits; fertilize weekly; cut hard back in autumn; keep rather dry at 10 °C in winter; syn. *C. crassicaulis*.




CYTISUS canariensis

LEGUMINOSAE

Propagation: by cuttings.


Evergreen, freely branching perennial; young plants have hairy leaves; from the Canarian islands; keep rather dry and frost-free in winter



CYTISUS canariensis survey

LEGUMINOSAE

Syn. *C. spachianus* and *Genista canariensis*; fragrant.




CYTISUS 'Porlock'

LEGUMINOSAE

Propagation: by cuttings.

Vigorous conservatory plant with arching stems; fragrant; fertilize weekly; keep rather dry and frost-free in winter.




CYTISUS *x racemosa*
LEGUMINOSAE
Propagation: by cuttings.
Probably a hybrid between *C. canariensis* and *C. maderensis*; fertilize weekly; needs plenty of water; young leaves are hairy; will flower very early under favourable circumstances.



DAHLIA 'Bishop of Llandaff'
ASTERACEAE/COMPOSITAE
Propagation: by division of tubers.
Lovely dahlia with very dark foliage; fertilize regularly; in autumn the plant dies off; keep the tubers dry and frost-free; replant in spring.



DALECHAMPIA *dioscoraeifolia*
EUPHORBIACEAE
Propagation: by cuttings.
Fertilize weekly; very exclusive plant with striking rose-purple bracts; fragrant; coming on more and more; keep rather dry at 10 °C in winter.




DAPHNE *mesereum* 'Rubra'
THYMELAECEAE
Propagation: by soft wood-cuttings in summer.
The well known 'Mesereon'; very attractive in pots because of its early bloom; scented flowers are borne before the leaves, followed by lovely fruits.



DIANTHUS
CARYOPHYLLACEAE
Propagation: by division.
Low-growing perennial; very suitable for pots because of its exuberant bloom.




DIANTHUS *barbatus*
CARYOPHYLLACEAE
Propagation: by seed.
'Sweet William'; mostly grown as biennial; when sown in autumn, in bloom the next summer; can survive the winter but is short-living.



DIASCIA
SCROPHULARIACEAE
Propagation: by cuttings.
Lovely creeping perennial; fertilize weekly; cut back in autumn and keep rather dry and frost-free during winter; it is better to begin every year with young plants; many colours available.



DICLIPTERA *suberecta*
ACANTHACEAE
Propagation: by cuttings.
Grey velvety leaves; fertilize weekly; cut hard back after flowering; winter rather dry at 8 °C; syn. *Jus-ticia suberecta*.



DIMEORPHOTECA *aurea*
ASTERACEAE/COMPOSITAE
Propagation: by seed and cuttings.
Mostly grown as annual; fertilize weekly; take cuttings in autumn and throw away old plants; sow seed at 18 °C.




DIOSMA *hirsutum* 'Pink Fountain'
RUTACEAE

Offered in spring because of its early and lasting bloom; cut back long branches in autumn and keep rather dry and frost-free in winter.



DIPLADENIA *rosea* alba
APOCYNACEAE

Propagation: by cuttings (hard).
Pretty, glossy foliage; slow-growing climber; needs plenty of warmth during winter.



DISSOTIS *canescens*
MELASTOMATACEAE

Propagation: by cuttings.
Conservatory plant with velvety, hairy leaves; fertilize weekly; trim in autumn and keep rather dry at 5 °C in winter; family of the 'Tibouchina'.




DISSOTIS *rotundifolia*
MELASTOMATACEAE

Propagation: by cuttings.
Climbing plant with velvety hairy leaves; cut back in autumn and keep rather dry at 5 °C in winter; family of the 'Tibouchina'.




DOMBEYA *wallichii*
STERCULIACEAE

Propagation: by cuttings.
Vigorous conservatory plant; large leaves; fertilize regularly; trim back in autumn and reduce water; if grown under glass, only trim a little.




DRACAENA *marginata*
AGAVACEAE/DRACAENACEAE

Propagation: by cuttings.
Fertilize regularly; give plenty of water from spring until autumn; water sparingly during winter; small flowers are followed by yellow berries.




DURANTA *repens*
VERBENACEAE

Propagation: by cuttings.
Fertilize weekly; cut back blown flowers; vanilla-scented flowers, followed by orange berries in autumn; keep back in autumn and keep rather dry and frost-free in winter.



DURANTA *repens* berries
VERBENACEAE

Propagation: by cuttings.
Shrub; fertilize weekly; cut hard back in autumn; keep rather dry and frost-free in winter; syn. *D. plumieri*.



DURANTA *repens* alba
VERBENACEAE

Propagation: by cuttings.
Fertilize weekly; cut back blown flowerstems; cut hard back in autumn; keep rather dry and frost-free in winter.



DURANTA *repens variegata*

VERBENACEAE

Propagation: by cuttings.

Fertilize weekly; silver, variegated foliage; cut back blown bloomstems; cut hard back in autumn; keep rather dry and frost-free during winter.



DYSCHORISTE *thunbergiflora*

ACANTHACEAE

Propagation: by cuttings.

Pretty conservatory plant with fairly small leaves; keep rather dry in winter.




ECHIUM *fastuosum*

BORAGINACEAE

Propagation: by cuttings.

Pretty plant; needs plenty of space; fertilize weekly; needs well-drained soil; syn. *E. candidans*; keep rather dry in winter; contact with the leaves may irritate the skin.



EPILOBIUM *glauca*

ONAGRACEAE

Propagation: by seed.

Invasive annual but can be kept in check easily; flowers over a long period; fertilize regularly.




ERANTHEMUM *nervosum*

ACANTHACEAE

Propagation: by cuttings.

Pretty perennial, winterblooming; fertilize regularly; needs a well-drained soil; syn. *E. pulchellum*.



ERIGERON *karvinskianus*

ASTERACEAE/COMPOSITAE

Propagation: by seed.


Invasive annual; can easily be kept in check; fertilize regularly; needs moist, well-drained soil; for baskets and pots; syn. *E. mucronatus*.



ERIOBOTRYA *japonica*

ROSACEAE

Fragrant flowers and orange apricot-like fruits; fertilize weekly; if grown in pots keep rather dry and frost-free during winter; frosthardy when grown outdoors; 'Loquat'.




ERYSIMUM 'Bowles Mauve'

BRASSICACEAE

Propagation: by cuttings.

Needs well-drained soil; also grows in poor soil; it is best to take cuttings each year because older plants become leggy; ideal for borders and pots.



ERYSIMUM 'Bredon'

Propagation: by cuttings.

Needs well-drained soil; take new cuttings each year; lovely plant; specially for containers.




ERYSIMUM 'Moonlight'

BRASSICACEAE

Propagation: by cuttings.

Creeping perennial; very suitable for containers; produces a carpet of yellow flowers in a few years.




ERYTHRINA x bidwillii

LEGUMINOSAE

Propagation: by cuttings.

Vigorous, sparsely-branched conservatory plant; spiny stems; cut hard back in autumn; keep rather dry and frost-free during winter, if necessary in the dark.



ERYTHRINA crista-galli

LEGUMINOSAE

Propagation: by cuttings.

Cut back after flowering stems blown, to encourage new shoots to come into bloom; fertilize weekly; cut hard back in autumn; keep rather dry and frost-free during winter.



ERYTHRINA fespaticia

LEGUMINOSAE

Propagation: by cuttings.

Fertilize weekly; red flowers in large racemes; cut hard back in autumn; keep rather dry and frost-free in winter.




ERYTHRINA herbacea

LEGUMINOSAE

Propagation: by cuttings.

Shrub with thick rootstock; fertilize weekly; bright red flowers in large racemes; cut hard back in autumn; keep rather dry and frost-free in winter.



EUCALYPTUS radiata

MYRTACEAE

Propagation: by seed.

Pretty, small tree with very striking flowers; fertilize weekly; needs soft water; keep rather dry and frost-free in winter; fragrant.

EUCOMIS
LILIACEAE

Propagation: by seed or division of the bulbs.
Bulbous perennial with unusual floescens; fertil-
ize weekly; dies back in autumn; keep bulbs dry
and frost-free; replant in spring; also named
'Pineapple flower' and 'Pineapple lily'.



EUCOMIS *bicolor* large plant




EUCOMIS hybrid




EUCOMIS crème with white



EUCOMIS crème



EUCOMIS *bicolor*



EUCOMIS rose red



EUCOMIS rose pale variety



EUCOMIS rose



EUCALYPTUS species

MYRTACEAE

Propagation: by seed.

Pretty, small tree; flowers are very striking; fertilize weekly; needs soft water; keep rather dry and frost-free during winter; fragrant.



EUPHORBIA cyparissias 'Fens Ruby'

EUPHORBIACEAE

Propagation: by cuttings or division in spring.

Beautiful perennial; suitable for pots; looks best in a group of plants; needs well-drained soil; normal fertilizer and water.



EUPHORBIA characias ssp. wulfenii 'Lambrook Gold'

EUPHORBIACEAE

Propagation: by cuttings or division in spring.

Pretty perennial for pots; eye-catching in a group; needs well-drained soil; normal fertilizer and water.




EUPHORBIA fulgens 'Alba'

EUPHORBIACEAE

Propagation: by cuttings.

Easy-to-grow succulent; winter flowering.



EUPHORBIA 'Geroldii' large plant

EUPHORBIACEAE


Crowded, leaved plant; glossy foliage and very floriferous; keep rather dry in winter; one of the best.



EUPHORBIA 'Geroldii'

EUPHORBIACEAE


Succulent perennial; very floriferous; rather dry during winter; splendid.



EUPHORBIA species

EUPHORBIACEAE

Splendid perennial; un-named at the moment; a species found in a European botanical garden.




EURYOPS athanasiae

COMPOSITAE

Propagation: by cuttings.

Fertilize weekly; cut hard back in autumn; keep rather dry at 5 °C during winter; easy plant; *E. athanasiae* has green foliage.



EURYOPS pectinatus

COMPOSITAE

Propagation: by cuttings.


Fertilize weekly; can be trained as standard; cut hard back in autumn and winter at 5 °C; give plenty of light and fresh air; water moderately; *E. pectinatus* has silver, variegated foliage.



FELICIA *ameloides* blue
COMPOSITAE

Propagation: by cuttings.

Fertilize weekly; also available in white; cut back in autumn; keep rather dry and frost-free in winter; easy to make cuttings; start each year with young plants.



EURYOPS *virginia*
COMPOSITAE

Propagation: by cuttings.


Fertilize weekly; cut back in autumn and keep rather dry at 5 °C in winter; needs plenty of light and fresh air.



FELICIA *ameloides* *variegata*
COMPOSITAE

Propagation: by cuttings.

Felicia is mostly found with green foliage; we also see *F.* with variegated foliage; fertilize weekly; cut back in autumn; remove old leaves and keep rather dry and frost-free during winter.



FELICIA *ameloides* *variegata* *alba*
COMPOSITAE

Propagation: by cuttings.

Fertilize weekly; cut hard back in autumn; remove old foliage; keep rather dry and frost-free in winter; during the last years pendant *Felicias* are also offered.



FICUS *carica*
MORACEAE

Propagation: by cuttings.

The well known 'Fig'; fertilize weekly; needs well-drained soil; not a reliable hardy; keep frost-free and rather dry in winter; edible fruits appear in October.



FREMONTODENDRON *californicum*
STERCULIACEAE

Propagation: by cuttings.

Fertilize weekly; trim back regularly to avoid a leggy plant; keep frost-free and rather dry in winter; easy plant; resists a few grades of frost.



FRITILLARIA *imperialis* 'Lutea'
LILIACEAE
Needs well-drained soil; fertilize regularly;
vigorous, bulbous perennial.




FRITILLARIA *imperialis* 'Rubra'
LILIACEAE
Needs well-drained soil; fertilize regularly;
vigorous, bulbous perennial.



FRITILLARIA *persica*
LILIACEAE
Needs well-drained soil; fertilize regularly;
vigorous.



FUCHSIA *arborescens*
ONAGRACEAE
Propagation: by cuttings or seed.
Fertilize weekly; needs well-drained soil; needs a
dormant period in winter; keep rather dry and
frost-free; lovely blue berries in autumn.



FUCHSIA *cordifolia*
ONAGRACEAE
Propagation: by cuttings.
Fertilize weekly; don't trim too much in autumn;
even flowers in winter; don't fertilize during winter;
give a period of rest in December.




FUCHSIA *juntasensis*
ONAGRACEAE
Propagation: by cuttings.
Fertilize weekly; the flowers are followed by splendid orange berries; give a period of rest in winter; water moderately and do not fertilize.



FUCHSIA *fulgens rubra grandiflora*
ONAGRACEAE

Propagation: by cuttings.

Fertilize weekly; tuberous plant; keep the tuber dry in peat during winter; replant in spring; could be cut back under glass and wintered at 5 °C.



FUCHSIA *procumbens*
ONAGRACEAE

Propagation: by cuttings.

Creeping fuchsia; fertilize weekly; yellow flowers are followed by splendid blue berries; cut back in autumn; keep rather dry and frost-free in winter.



GALANTHUS *nivalis*
AMARYLLIDACEAE

Bulbous perennial; brightens up the terrace in early spring.



GARDENIA *jasminoides*
RUBIACEAE

Propagation: by cuttings.


Fragrant; needs acid soil and soft water; during winter, keep at a temperature not under 12 °C; water regularly and moderately; syn. *G. augusta*.



GARDENIA *augusta* 'August B'
RUBIACEAE

Propagation: by cuttings.

Fragrant; fertilize regularly; needs acid soil and soft water; in winter, keep at a temperature not under 12 °C; water regularly and moderately.



GARDENIA 'Belmonte'
RUBIACEAE

See *G. augusta* 'August B'.




GARDENIA 'Coral Gold'
RUBIACEAE

See *G. augusta* 'August B'.



GARDENIA 'Miami Supreme'
RUBIACEAE


See *G. augusta* 'August B'.



GAURA *lindheimeri* 'Siskyou Pink'
ONAGRACEAE

Propagation: by division or seed.


Grows splendidly in pots; some months after sowing, the plant will be in bloom; the white form is well known; during a period of abundant rain, place the plant under a shed.




GAZANIA
COMPOSITAE
Propagation: by cuttings and seed.
Likes a light, sandy, well-drained soil; sow early spring; fertilize weekly.



GAZANIA red striped
COMPOSITAE
See *Gazania*.




GAZANIA
COMPOSITAE
See *Gazania*.



GAZANIA
COMPOSITAE
See *Gazania*.



GAZANIA
COMPOSITAE
See *Gazania*.




GAZANIA
COMPOSITAE
See *Gazania*.



GERANIUM *oxonianum* 'Thurstonianum'
GERANIACEAE
Propagation: by division.
Perennial, splendid for growing in containers; the blooms form a dark cloud above the pot.



GLECHOMA *hederacea* variegata
LABIATAE
Propagation: by cuttings.
Perennial with trailing stems; suitable for containers; flowers are insignificant; fertilize regularly; keep frost-free during winter; hardy when open-grown.




GLOBBA *winitii*
ZINGIBERACEAE
Propagation: by cuttings.
Needs a warm, humid place and plenty of water during growing season; in winter keep at a minimum of 15 °C.

GREVILLEA
PROTAECEAE

Propagation: by cuttings and seed.

Striking shrub; flowers – in red or white – seem to creep like spiders along the branches; fertilize moderately and give soft water; trim if necessary but do it before mid-July because after that the buds will be formed for the coming season; during winter keep at a temperature of 5 °C; do not let the plant dry out.




GREVILLEA *juniperina*




GREVILLEA *longifolia*
Special florescens.




GREVILLEA *longifolia*




GREVILLEA 'Mount Tamboritha'
Compact-growing shrub.




GREVILLEA *rosmarinifolia*
Spreading perennial.



GREVILLEA *rosmarinifolia* 'Alba'
The white *G. rosmarinifolia*.



GREVILLEA



GREVILLEA



GLOTTIPHYLLUM *difforme*

AIZOACEAE

Propagation: by cuttings.

During growing season, fertilize with a half gift of the normal strength; flowering time is in winter; during rest period, water sparingly.



GREWIA *occidentalis*

TILLIACEAE

Propagation: by cuttings.

Fertilize weekly during growing season; in winter, keep temperature between 5 and 10 °C; edible fruits.



HARDENBERGIA *violaceae* 'Alba'

LEGUMINOSAE

Propagation: by cuttings.

Evergreen climber; keep rather dry during winter.




HARDENBERGIA *violacea*

LEGUMINOSAE

Propagation: by cuttings.

Evergreen climber; keep rather dry in winter.




HARDENBERGIA *violacea* 'Pink Cascade'

LEGUMINOSAE

Propagation: by cuttings.

Evergreen climber with small racemes of pale pink flowers; keep rather dry in winter.




HEDERA *helix* 'Arborescens'

ARALIACEAE

Propagation: by cuttings.


Evergreen, creeping ivy; bears berries in autumn; fully hardy.



HEDYCHIUM *coronarium*

ZINGIBERACEAE

Propagation: by division of the rhizome in spring. Fertilize weekly and give plenty of water; keep the rhizome dry in winter and at a minimum of 5 °C; frost-tender; fragrant; White Ginger Lily.



HEDYCHIUM *gardnerianum*

ZINGIBERACEAE

Propagation: by division of the rhizome in spring. Fertilize weekly and give plenty of water; winter the rhizome frost-free and dry; easy.




HELICHRYSUM *petiolare*

COMPOSITAE

Propagation: by cuttings.

Grown for its lovely foliage; suitable for baskets; fertilize weekly; not easy to winter – prone to moulds (botrytis); take cuttings in spring; splendid for filling up baskets.




HEBE *andersonii* variegata



HEBE *canterburiensis*

HEBE
SCROPHULARIACEAE


Propagation: by cuttings.
Evergreen shrub; fertilize weekly; winter rather dry; do not let the plant dry out; most are not fully hardy; the larger the foliage, the less hardy the plant.



HEBE *diosmifolia*
Low-growing shrub.




HEBE hybrid




HEBE hybrid



HEBE hybrid



HEBE hybrid



HEBE hybrid




HELICHRYSUM *petiolare* 'Gold'
COMPOSITAE

Propagation: by cuttings.
Grown for its foliage; fertilize weekly; not easy to winter – prone to moulds (botrytis); take cuttings in spring.




HELICHRYSUM *petiolare* 'Silver'
COMPOSITAE

See *H. petiolare* 'Gold'.



HELICHRYSUM *microphyllum*
COMPOSITAE

See *H. petiolare* 'Gold'.




HELIOTROPIUM *amplexicaule*
BORAGINACEAE

Propagation: by cuttings.
Fertilize weekly; keep rather dry and frost-free in winter.




HELIOTROPIUM *arborescens*
BORAGINACEAE

Propagation: by cuttings.
Fertilize weekly; cut back in autumn and keep rather dry and frost-free at 10 °C in winter; fragrant; syn. *H. peruvianum*.



HELIOTROPIUM *arborescens* 'Alba'
BORAGINACEAE

Propagation: by seed or cuttings.
Fertilize weekly; cut back in autumn; keep rather dry and frost-free in winter; fragrant; syn. *H. peruvianum* 'Alba'.




HELIOTROPIUM 'Alba'
BORAGINACEAE

Propagation: by cuttings.
Fertilize weekly; cut back in autumn; keep rather dry and frost-free in winter; fragrant; early-flowering heliotrope with long racemes of flowers.



HELLEBORUS *niger*
RANUNCULACEAE

Propagation: by cuttings.
Early-flowering perennial; lovely for containers; needs well-drained soil; protect from strong cold winds.



HEUCHERA 'Rachel'
SAXIFRAGACEAE

Propagation: by division.
Perennial with pretty, coloured and variegated foliage; evergreen; needs well-drained soil; suitable for containers; winter colours.



HIBISCUS hybrid




HIBISCUS hybrid

HIBISCUS
MALVACEAE

Propagation: by cuttings.

If they are not sprayed to prevent growth, all kinds of *hibiscus* grow well outdoors and there are very special colours and shapes; fertilize weekly; keep in a light and warm place; cut back in autumn and keep rather dry at 10 °C during winter; do not bring them outdoors too early; bud drop will be caused by a big change in temperature.



HIBISCUS hybrid




HIBISCUS hybrid



HIBISCUS hybrid



HIBISCUS hybrid



HIBISCUS *acetosella*




HIBISCUS double 'Mini Skirt'



HIBISCUS 'Charles September'



HIBISCUS 'Geisha'




HIBISCUS 'Janys'



HIBISCUS 'Jim Hendry'



HIBISCUS 'Mystic Pink'



HIBISCUS *coccineus*



HIBISCUS *geranoides*




HIBISCUS *moscheutos subsp. palustris*




HIBISCUS *mutabilis*



HIBISCUS *rosa chinensis*



HIBISCUS *trionum*



HIBISCUS *schizopetalus*



HEUCHERA 'Stormy Seas'

SAXIFRAGACEAE

Propagation: by division.

Perennial with pretty, coloured and variegated foliage; suitable for containers; evergreen; needs well-drained soil; winter colours.



HIBBERTIA *scandens*

DILLENIACEAE

Propagation: by cuttings.

Vigorous climber; tolerant of heat but needs plenty of water; fertilize weekly; if necessary, cut back in autumn; keep rather dry and frost-free in winter.



HOLMSKIOLDIA *sanguinea*

VERBENACEAE

Propagation: by cuttings.

Evergreen climber; fertilize weekly; trimming back after flowering keeps the plant compact; winter rather dry and frost-free.



HOSTA 'Blue Cadet'

FUNKIACEAE

Propagation: by division.

Perennial; suitable for containers; fertilize weekly; winter frost-free when grown in pots; fully hardy when grown outdoors; attractive to snails.



HOSTA *fortunei* 'Patriot'

FUNKIACEAE

See H. 'Blue Cadet'.



HOSTA *sieboldii* 'Snowflake'

FUNKIACEAE


See H. 'Blue Cadet'.



HOSTA 'Wide Brim'

FUNKIACEAE

See H. 'Blue Cadet'.



HOSTA

FUNKIACEAE


See H. 'Blue Cadet'.




HYDRANGEA *macrophylla* hybrid

HYDRANGEACEAE

Old-fashioned perennial that now makes an interesting come-back; fertilize weekly; in acid soil, the blooms are blue and in chalk soil, the blooms are pink or red; when grown in pots, keep frost-free in winter; water moderately.



IMPATIENS hybrid



IMPATIENS hybrid


IMPATIENS BALSEMINACEAE

Propagation: by seed or cuttings.


Annual; in spring, offered in many colours; last years all sorts of botanical *impatiens* came onto the market; fertilize weekly and water well; it is better to take cuttings in spring rather than keeping the plant.



IMPATIENS hybrid



IMPATIENS white




IMPATIENS firefly purple




IMPATIENS firefly white



IMPATIENS 'Lavender Orchid'




IMPATIENS 'Nieuw Guinea'



IMPATIENS 'Nieuw Guinea'



IMPATIENS sparkler red



IMPATIENS sparkler rose



IMPATIENS salsa red




IMPATIENS *niamniamensis*



IMPATIENS *niamniamensis* 'Congo Cockatoo'



IMPATIENS species



IMPATIENS *velvetea*



IMPATIENS *velvetea* 'Secret Love'



HYDRANGEA *macrophylla* hybrid
HYDRANGEACEAE

Old-fashioned perennial but today very popular; fertilize weekly; in acid soil the blooms are blue; in chalk soil they are pink or red; when grown in pots keep frost-free in winter; water moderately.



IOCHROMA *coccineum*
SOLANACEAE

Propagation: by cuttings.
Evergreen shrub; fertilize weekly; cut hard back in autumn and keep rather dry and frost-free in winter, in the dark if necessary; trim again in spring.



IOCHROMA *cyaneum*
SOLANACEAE

Propagation: by cuttings.
Fertilize weekly; cut hard back in autumn and keep rather dry and frost-free in winter, in the dark if necessary; trim again in spring and pot on.



IOCHROMA *grandiflorum* light variety
SOLANACEAE

Propagation: by cuttings.
Evergreen shrub; fertilize weekly; cut hard back in autumn; keep rather dry and frost-free in winter, if necessary in the dark; trim again in spring and pot on.



IOCHROMA *purpureum*
SOLANACEAE

Propagation: by cuttings.
Fertilize weekly; cut hard back in autumn; keep rather dry and frost-free in winter, if necessary in dark; origin is uncertain but some authors consider that it is a colour variant of the *I. cyaneum*.



IOCHROMA *warszewiczii*
SOLANACEAE

Propagation: by cuttings.
Fertilize weekly; cut hard back in autumn; keep rather dry and frost-free in winter, in the dark if necessary; in spring trim somewhat and pot on.



IPOMOEA *alba*
CONVOLVULACEAE

Propagation: by seed.
Fertilize weekly; fragrant flowers that open at night; vigorous climber.



IPOMOEA *fistulosa*
CONVOLVULACEAE

Propagation: by cuttings.
Twining perennial; fertilize weekly; trim long branches in autumn; keep rather dry at 7 °C in winter.



IPOMOEA *indica* large plant
CONVOLVULACEAE




IPOMOEA indica

CONVOLVULACEAE

Propagation: by cuttings.

Climbing perennial; trim long branches and keep rather dry and frost-free in winter.




IPOMOEA leari

CONVOLVULACEAE

Propagation: by cuttings.

Climbing perennial; fertilize weekly; deciduous; trim long branches; keep rather dry at 5 °C.



IPOMOEA mauritiana

CONVOLVULACEAE

Propagation: by cuttings.

Vigorous climber with rhizomes; needs fertile soil; winter in a warm place; grows in humid sub-tropical forests.



IPOMOEA purpurea

CONVOLVULACEAE

Propagation: by cuttings.

Twining perennial; fertilize weekly; trim in autumn and keep rather dry and frost-free during winter.



ISOPLEXIS isabelliana

SCROPHULARIACEAE

Propagation: by cuttings.

Fertilize weekly; after flowering cut back the flower-stem as low as possible to get a bushy plant; don't cut back in autumn; keep rather dry at 7 °C in winter.



ISOPLEXIS canariensis

SCROPHULARIACEAE

Propagation: by cuttings.

Fertilize weekly; cut back the flower-stem after flowering to get a bushy plant; don't cut back in autumn; keep rather dry at 7 °C.




ISOTOMA axillaris

CAMPANULACEAE

Propagation: by cuttings.

Fertilize weekly; cut back in autumn and keep rather dry and frost-free during winter; best results are with new cuttings each year; syn. *Laurentia axillaris*; leaves are poisonous.




ISOTOMA longiflora

CAMPANULACEAE

Propagation: by cuttings.

Fertilize weekly; cut back in autumn and keep rather dry and frost-free during winter; syn. *Laurentia longiflora*; very poisonous.



IXORA coccinea

RUBIACEAE

Propagation: by cuttings.

Needs well-drained soil; fertilize twice during growing season and give plenty of water; in winter, water sparingly and keep at a temperature of 8 °C.



IXOARA 'Candy Pink'

RUBIACEAE

Propagation: by cuttings.

Needs well-drained soil; fertilize twice during growing season and give plenty of water; during winter, water sparingly and keep at 8 °C.




JACOBINEA *carnea alba*

ACANTHACEAE

Propagation: by cuttings.

Fertilize weekly; cut back the flower-stem after flowering to get a bushy plant; don't cut back in autumn; keep rather dry at 10 °C in winter; syn. *Justicia carnea alba*.



JACOBINEA *carnea*

ACANTHACEAE

Propagation: by cuttings.

Fertilize weekly; after flowering, cut back the flower-stem to get a bushy plant; don't cut back in autumn; syn. *Justicia carnea*.



JACOBINEA 'Mohintii'

ACANTHACEAE

Propagation: by cuttings.

Fertilize weekly; cut back the flower-stem after flowering to get a bushy plant; don't cut back in autumn; keep rather dry at 10 °C in winter.




JACOBINEA *species*

ACANTHACEAE

Propagation: by cuttings.

Fertilize weekly; cut back the flower-stem after flowering; don't cut back in autumn; keep rather dry at 10 °C in winter.



JACOBINEA *pauciflora*

ACANTHACEAE

Propagation: by cuttings.

Fertilize weekly; trim long branches; don't cut back in autumn; keep rather dry at 10 °C in winter; syn. *Justicia rizzinii*; winterbloomer.




JACOBINEA *velutina*

ACANTHACEAE

Propagation: by cuttings.

Fertilize weekly; cut back flower-stems after flowering to get a bushy plant; don't cut back in autumn; keep rather dry at 10 °C in winter; syn. *Justicia velutina*.



JASMINUM *angulare*

OLEACEAE

Propagation: by cuttings.

Fragrant climber; fertilize weekly; keep rather dry and frost-free in winter.




JASMINUM *azoricum*

OLEACEAE

Propagation: by cuttings.

Fragrant climber; evergreen; fertilize weekly; keep rather dry and frost-free in winter.




JASMINUM *mesnyi*

OLEACEAE

Propagation: by cuttings.

Fragrant climber; fertilize weekly; frosthardy up to -8 °C; winter rather dry in a sheltered place.




JASMINUM *nitidum*

OLEACEAE

Propagation: by cuttings.

Well-branching shrub; fragrant; fertilize weekly; trim long branches regularly; keep rather dry and frost-free in winter.



JASMINUM *officinale*

OLEACEAE

Propagation: by cuttings.

Pretty climber; fertilize weekly; fragrant; trim long branches; keep rather dry in winter at 8 °C; easy-to-grow.




JASMINUM *polyanthum*

OLEACEAE

Propagation: by cuttings.

Pretty climber; pink buds and white fragrant flowers; trim long branches; keep rather dry in winter at 8 °C; easy-to-grow.



JASMINUM *revolutum*

OLEACEAE

Propagation: by cuttings.

Well-branching shrub; lightly scented; fertilize weekly; frosthardy; winter rather dry in a sheltered place.




JASMINUM *sambac*

OLEACEAE

Propagation: by cuttings.


Fragrant climber; fertilize weekly; keep rather dry and frost-free in winter; used to make jasmine tea.



JASMINUM *sambac* 'Grand Duke of Toscane'
OLEACEAE
Propagation: by cuttings.
Small shrub with very fragrant double flowers; fertilize weekly; flower fades from white to purple; rare.



JATROPHA *integririma*
EUPHORBIACEAE
Propagation: by cuttings.
Fertilize regularly; give a dry period in winter; needs 8 °C in winter; needs more water in summer and plenty of warmth.




JATROPHA *podagrica*
EUPHORBIACEAE
Propagation: by cuttings.
Fertilize regularly; needs a dry period in winter at 10 °C; needs plenty of water and warmth in summer; easy to grow.



JUANULLOA *aurantiaca*
SOLANACEAE
Propagation: by cuttings.
Grows in rainforests as an epiphyt; fertilize weekly; needs well-drained soil and little water; winter in a warm place; trim in spring; syn. *J. Mexicana*.



JUSTICIA *spicigera*
ACANTHACEAE
Propagation: by cuttings.
Well-branching shrub; keep rather dry and frost-free in winter.




KENNEDIA *coccinea*
LEGUMINOSAE
Propagation: by cuttings.
Poorly-flowering climber but very striking; fertilize weekly; trim long branches in autumn; keep rather dry at 5 °C in winter; syn. *K. Rubicunda*.




KENNEDIA *nigricans*
LEGUMINOSAE
Propagation: by cuttings.
Climber; fertilize weekly; needs sandy soil; vigorous; trim back long branches in autumn; keep rather dry and frost-free in winter.



KITAIBELIA *vitifolia*
MALVACEAE
Propagation: by seed.
Needs not too fertile a soil; splendid as solitary; attractive to bees and butterflies.



LAGERSTROEMIA dwarf variety
LYTHRACEAE
Propagation: by cuttings.
Late-flowering; fertilize weekly; requires plenty of warmth in summer for good flowering; intolerant of a long period of rain; cut hard back in autumn; keep rather dry and frost-free in winter.



LAGERSTROEMIA *indica* pink
LYTHRACEAE

Propagation: by cuttings.


Late-flowering; fertilize weekly; requires plenty of warmth during summer for good flowering; cut hard back in autumn (for good flowering next year); keep rather dry and frost-free in winter.



LAGERSTROEMIA *indica* red

LYTHRACEAE Propagation: by cuttings.

Late-flowering; fertilize weekly; requires plenty of warmth for good flowering; intolerant to long periods of rainfall; cut hard back in autumn (for better flowering next year) and keep rather dry and frost-free in winter.



LAGERSTROEMIA 'Little Chief'

LYTHRACEAE

Propagation: by cuttings.

Late-flowering; requires plenty of warmth for good flowering; intolerant to a long period of rainfall; cut hard back in autumn; keep rather dry and frost-free in winter.



LAGUNARIA *patersonii*

MALVACEAE

Propagation: by cuttings.

Fertilize weekly; after flowering, fruits appear; do not remove these before autumn; trim in autumn and keep rather dry at 4°C in winter.




LAPAGERIA *rosea*

LILIACEAE

Propagation: by cuttings.

Slow-growing climber; well-flowering as older plant; waxy flowers; fertilize weekly; don't cut back before winter; water sparingly; easy to winter.



LAURUS *nobilis**

LAURACEAE

Propagation: by cuttings.

The well-known 'Sweet Laurel'; green-yellow flowers followed, on female plants, by black berries; aromatic leaves; fertilize regularly; keep rather dry and frost-free in winter.




LAVATERA 'Barnsley'

MALVACEAE

Propagation: by cuttings.

Fertilize weekly; requires not too fertile a soil, which results in many leaves and little bloom; frost-hardy; when grown in pots, cut back in autumn and winter rather dry and frost-free.




LAVATERA *maritima*

MALVACEAE

Propagation: by cuttings.

Fertilize weekly; cut back in autumn and keep rather dry and frost-free in winter; syn. *L. bicolor*.



LAVANDULA *angustifolia* 'Alba'

LABIATAE

Propagation: by cuttings.

Scented shrub; fertilize weekly; when grown in pot trim early autumn and keep rather dry and frost-free during winter; when grown outdoors, fully hardy.

LANTANA
VERBENACEAE


Propagation: by cuttings.

Lantana camara is an evergreen perennial often offered as shrub or standard; new colours and colour combinations appear regularly; after flowering, lovely blue berries appear; to get the plant flowering, remove the berries; fertilize weekly; cut hard back in autumn and keep rather dry and frost-free in winter; all parts of the plant should be poisonous.

Lantana montevidensis is a spreading shrub; lovely in baskets and in front of window boxes; fertilize weekly; cut hard back in autumn and keep rather dry and frost-free in winter; *lantanas* are attractive to butterflies!



LANTANA *sellowiana* 'Alba'



LANTANA *camara* hybrid



LANTANA *camara* hybrid




LANTANA *camara* hybrid



LANTANA *camara* hybrid



LANTANA *camara* 'Butterfly'




LANTANA *camara* 'Cupfer Riese'




LANTANA *camara* 'Goldsonne'




LANTANA *camara* 'Ingelsheimer'




LANTANA *camara* 'Niobe'




LANTANA *camara* 'Old Rose'



LANTANA *camara* 'Slot Ortenburg'



LANTANA *montevidensis* white



LANTANA *montevidensis* lavender



LAVANDULA *dentata*

LABIATAE

Propagation: by cuttings.

Scented shrub; fertilize weekly; when grown in pots, trim early autumn and keep rather dry and frost-free in winter; when grown outdoors, fully hardy.



LAVANDULA *stoechas*

LABIATAE

Propagation: by cuttings.

Scented shrub; fertilize weekly; trim before the winter and keep frost-free; water sparingly; half hardy.



LEONOTIS *leonuris*

LABIATAE

Propagation: by cuttings.

Flowers late; the vivid orange flowers are very striking; fertilize weekly; cut hard back in autumn; keep rather dry and frost-free during winter; syn. *L. oxymifolia*.



LEPTOSPERMUM *scoparium* double, light pink

MYRTACEAE

Propagation: by cuttings.

Needs acid soil, as all plants of the *myrte* family; give soft water; only trim to get a better shape; keep rather dry and frost-free in winter.



LEPTOSPERMUM *scoparium* 'Red Dam'

MYRTACEAE

See *L. scoparium* pale rose double.



LEPTOSPERMUM *scoparium* pink

MYRTACEAE

See *L. scoparium* light rose double.



LEPTOSPERMUM *scoparium* double, very dark red

See *L. scoparium* light rose double.



LEPEDEZA *thunbergii*

LEGUMINOSAE

Propagation: by cuttings.

Arching shrub; trim in autumn; winter rather dry and frost-free; late to bloom.




LEUCAENA *leucocephala*

LEGUMINOSAE

Propagation: by cuttings.

Fertilize weekly; the feathered leaves close at night; scented flowers; winter rather dry.




LEUCOTHOE *axillaris*

ERICACEAE

Propagation: by division.

Evergreen; needs well-drained acid soil; lovely displayed in pots in winter; keep in a shady place.




LEUCOTHOE *walteri* 'Rainbow'

ERICACEAE

Propagation: by cuttings.

Needs well-drained acid soil; suitable for pots in winter; pretty, coloured foliage; keep in a shady place.




LIBERTIA *grandiflora*

IRIDACEAE

Propagation: by division of the rhizome.

Needs well-drained soil; fertilize weekly; frosthardy; protect from severe cold.




LIGUSTRUM *delavayanum*

OLEACEAE

Propagation: by cuttings.

Fertilize weekly; needs well-drained soil; in autumn bears lovely berries; frosthardy; protect from severe cold.



LIGUSTRUM *japonicum texanum*

OLEACEAE

Propagation: by cuttings.

Fertilize weekly; can be trained into shape; fragrant; keep rather dry and frost-free in winter; can be trimmed if necessary.



LILIUM

LILIACEAE

Fertilize weekly; bulbous perennial; prefers full sun with the base of the plant in shade; dies back after flowering; keep rather dry and replant in autumn.



LILIUM*

LILIACEAE

Fertilize weekly; bulbous perennial; prefers full sun with the base of the plant in shade; dies back after flowering; keep rather dry and replant in autumn.




LIMNANTHUS douglasii

LIMNANTHACEAE

Propagation: by seed.

Fertilize weekly; the scented flowers are attractive to bees and butterflies; plants sown in autumn must be protected from frost.



LINARIA purpurea

SCROPHULARIACEAE

Propagation: by seed.

Fertilize regularly; pinch out the top to encourage a bushy plant; seeds spontaneously, but not invasive.



LIRIOPE spicata

CONVALLARIACEAE

Propagation: by cuttings.

Perennial; suitable for containers; fertilize weekly.




LOBELIA erinus 'Cambridge Blue'

CAMPANULACEAE/LOBELIACEAE

Propagation: by seed.

Fertilize weekly; needs well-drained soil; in many shades of blue, pink and white.




LOBELIA eulalia 'Berridge'

CAMPANULACEAE/LOBELIACEAE

Propagation: by cuttings or division.

Fertilize weekly; after flowering, young plants appear around the old plant; in autumn the old plant dies back; keep rather dry and frost-free in winter.




LOESELIA mexicana

POLEMONIACEAE

Propagation: by cuttings.

Needs a sandy soil; remove old flowers to prevent diseases; keep rather dry and frost-free in winter.




LOTUS berthelotii

LEGUMINOSAE

Propagation: by cuttings.

Fertilize weekly; trim back long slender stems in summer; cut hard back in autumn and keep rather dry in winter; needs a cold period to get in bloom the next year; basket-plant.




LOTUS berthelotii 'Gold'

LEGUMINOSAE

Propagation: by cuttings.

Trailing perennial; fertilize weekly; trim long stems in summer; cut hard back in autumn; keep rather dry and frost-free in winter; needs a cold period to get flowers in the next year.



LOTUS *jacobaeus*

LEGUMINOSAE

Propagation: by cuttings.

Fertilize weekly; needs plenty of water and full sun; trim in autumn and keep rather dry and frost-free in winter.



LOTUS *nigrescens*

LEGUMINOSAE

Propagation: by cuttings.

Fertilize weekly; needs plenty of water and full sun; cut back in autumn; keep rather dry and frost-free in winter.




LYCHNIS *coronaria*

CARYOPHYLLACEAE

Propagation: by division.

Fertilize regularly; pretty, grey foliage; the well-known 'Dusty Miller'.




LYSIMACHIA *nummularia*

PRIMULACEAE

Propagation: by division.


Fertilize normally; invasive; hardy.



MAHONIA *japonica**

BERBERIDACEAE

After flowering, splendid blue berries appear; because of the early flowers, very attractive for growing in containers; when grown in pots, fertilize regularly.



MALVASTRUM *lateritia*

MALVACEAE

Propagation: by cuttings.

Low-growing perennial; splendid for pots; fertilize weekly; when grown in pots, protect from severe frost.



MALVAVISCUS *arboreus* var. *arboreus*

MALVACEAE

Propagation: by cuttings.

Fertilize weekly; to get flowers throughout the season, trim once during growing season; cut hard back in autumn; keep rather dry at 7 °C during winter.




MALVAVISCUS *arboreus* var. *penduliflorus*

MALVACEAE

Propagation: by cuttings.

Fertilize weekly; pendant flowers; to get flowers throughout the season, trim once during growing season; cut hard back in autumn and keep rather dry at 7 °C in winter.



MALVAVISCUS *arboreus* var. *penduliflorus* alba

MALVACEAE

Propagation: by cuttings.

Fertilize weekly; to get flowers throughout the season, trim once during the growing season; cut hard back in autumn and keep rather dry at 7 °C in winter.



MANDEVILLA 'Alice du Pont'


Do not cut back in autumn and keep rather dry at 5 °C; splendid for containers; named after the family du Pont, Pennsylvania, from where the plant comes.



MANDEVILLA *amabilis*

MANDEVILLA
APOCYNACEAE

Propagation: by cuttings.
Fertilize weekly; cut somewhat back in autumn; keep rather dry at 5 °C in winter; an eyecatcher; suitable to be trained along a pillar of wire-netting.




MANDEVILLA *boliviensis*

Slow-growing climber; trim somewhat in autumn and winter at 10 °C; difficult to make cuttings from it.




MANDEVILLA *sanderi* 'Rosea'

Trim before the winter and keep rather dry at 8 °C.



MANDEVILLA *sanderi* 'Scarlet Pimpernel'

Trim somewhat before the winter and keep rather dry at 8 °C.



MANDEVILLA *suaveolens*

Vigorous; cut back to 20 cm above ground-level in autumn and keep rather dry at 5 °C in winter; syn. *M. Laxa*.



MANDEVILLA hybrid



MANDEVILLA large plant

**MANETTIA inflata**

RUBIACEAE

Propagation: by cuttings.

Fertilize weekly; climber; lovely for use in baskets; trim long slender stems; keep rather dry and frost-free in winter; protect from excessive autumn wet; syn. *M. bicolor* and *M. lutea rubra*.

**MEDICAGO arborea**

LEGUMINOSAE

Propagation: by seed.

Fertilize regularly; after flowering green, then brown seed pods appear; attractive to butterflies and bees.

**MEDINELLA magnifica**

MELASTOMATACEAE

Propagation: by seed or cuttings.

Fertilize regularly; trim after flowering; keep rather dry and frost-free in winter.

**MELALEUCA linarifolia**

MYRTACEAE


Propagation: by cuttings.

Needs soft water; water sparingly in winter.

**MELALEUCA thymifolia**

MYRTACEAE Propagation: by cuttings.

Fertilize regularly; needs soft water, as with all plants of the *myrte* family; flowers appear on last year's stems, so do not cut back in autumn; winter rather dry and frost-free; can be trained into shape; this must be done after flowering.

**MENTHA piperata** 'Eau de Cologne'

LABIATAE/LAMIACEAE

Propagation: by division.

Fertilize weekly; fragrant; invasive; useful when grown in pots because of its scented foliage; hardy.

**MENTHA longifolia** 'Buddleia'

LABIATAE/LAMIACEAE

Propagation: by division.

Fertilize weekly; fragrant; invasive; very useful when grown in pots because of its scented foliage; hardy.

**METROSIDEROS excelsa**

MYRTACEAE

Propagation: by cuttings.

Fertilize moderately; give soft water; if necessary cut back after flowering – never in autumn; keep rather dry and frost-free in winter; do not let the plant dry out.

**METROSIDEROS thomasii**


MYRTACEAE

Propagation: by cuttings.

Fertilize moderately; give soft water; cut back if necessary after flowering – never in autumn; winter rather dry and frost-free; do not let the plant dry out.



MILLION BELLS red




MILLION BELLS yellow

MILLION BELLS
SOLANACEAE

Propagation: by seed.
A small *surfinia*; very floriferous; easy; fertilize weekly; difficult to winter; it is better to start each year with young plants.



MILLION BELLS 'Cherry'



MILLION BELLS white



MILLION BELLS 'Carillon Blue'



MIMULUS *aurantiacus* white

SCROPHULARIACEAE

Propagation: by cuttings.

Fertilize weekly; suitable for climbing along wire-netting; also splendid for baskets; trim during growing season to get a second flowering; cut hard back in autumn; winter rather dry and frost-free.



MIMULUS *glutinosus* 'Monkey Musk'

SCROPHULARIACEAE

Propagation: by cuttings. Climber; splendid for baskets; fertilize weekly; trim during growing season to induce a second flowering; cut hard back in autumn and keep rather dry and frost-free in winter; syn. *M. glutinosus*.



MIMULUS 'Strawberry Wine'

SCROPHULARIACEAE

Propagation: by cuttings.

Climber and trailing perennial; vigorous; fertilize weekly; trimming during growing season induces a second flowering; cut hard back in autumn and winter rather dry and frost-free.




MIMULUS *bifidus* 'Wine'

SCROPHULARIACEAE

Propagation: by cuttings.


Fertilize weekly; climber; also splendid for baskets; vigorous; trim during growing season to induce a second flowering; cut hard back in autumn; keep rather dry and frost-free in winter.



MIMULUS 'Tangerine'

SCROPHULARIACEAE


See *M. 'Strawberry Wine'*.



MIMULUS white x *aurantiacus*

SCROPHULARIACEAE

See *M. 'Strawberry Wine'*.



MIRABILIS *jalapa* yellow

NYCTAGINACEAE

Propagation: divide the rhizome in spring.
Fertilize weekly; dies back in autumn; keep the
rhizomes dry and frost-free; replant in spring.



MIRABILIS *jalapa* pink

NYCTAGINACEAE

See *M. jalapa* yellow.



MIRABILIS *jalapa* white

NYCTAGINACEAE

See *M. jalapa* yellow.



MONOPSIS *kapablue*

SOLANACEAE


Propagation: by seed or cuttings.
Lovely for baskets; fertilize weekly; wintering is
possible, but it is better to start each year with
young plants; a small kind of petunia.



MURRAYA *paniculata*

RUBIACEAE

Propagation: by cuttings.
Shrub with glossy leaves; evergreen; fragrant;
racemes with orange berries; keep rather dry and
frost-free in winter; syn. *M. exotica*.



MURRAYA *paniculata* berries

RUBIACEAE


Propagation: by cuttings.
Glossy leaves; evergreen; fragrant; racemes with
orange berries; winter rather dry and frost-free.



MUSA *violacea*

MUSACEAE

Fertilize regularly; protect from hot sun; water
moderately during winter.



MUSSAENDRA 'Snowflake'

RUBIACEAE

Propagation: by cuttings.
Fertilize weekly; needs well-drained soil; protect
from hot midday sun; trim after flowering; keep
rather dry and frost-free in winter.



MYRTUS *communis*

MYRTACEAE

Propagation: by cuttings.
Needs soft water, as do all plants of the *myrte*
family; fertilize moderately; lovely long-lasting
berries; can be trained into shape; winter rather
dry at 5 °C.



MYRTUS *communis nana*
MYRTACEAE

Propagation: by cuttings.
Needs soft water, as all plants of the *myrte* family; fertilize moderately; can be trained into shape; keep rather dry at 5 °C in winter; a smaller *M. communis*.



NARCISSUS *cyclamineus* 'Tête à Tête'
AMARYLLIDACEAE

Very early-flowering daffodil; splendid for pots and containers.



NARCISSUS *odoratus* 'Plenus'
AMARYLLIDACEAE

Fragrant daffodil; splendid for pots in early spring.



NEMESIA *strumosa* 'KLM'
SCROPHULARIACEAE

Propagation: by seed.
Sow in spring at 15 °C; needs well-drained soil; fertilize weekly; lovely for pots and baskets.



NEMESIA *strumosa* 'Mello Red and White'
SCROPHULARIACEAE

See *N. strumosa* 'KLM'.



NEMESIA *strumosa* 'Mello White'
SCROPHULARIACEAE

See *N. strumosa* 'KLM'.



NEPETA *subsessilis*
LABIATAE/LAMIACEAE

Propagation: by division in spring.
Fertilize regularly; needs cool, moist position; upright-grower with bright blue flowers.



NICOTIANA *glauca*
SOLANACEAE

Propagation: by cuttings.
Fertilize weekly; scented at night; cut hard back in autumn and keep rather dry and frost-free in winter; if necessary in the dark.



NICOTIANA *glauca*
SOLANACEAE

Propagation: by seed.
Fertilize weekly; annual *nicotiana* is in all sorts of colours on the market; splendid for containers; named the 'Tobacco plant'.

NERIUM OLEANDER
APOCYNACEAE

Propagation: by cuttings.

Fertilize weekly; needs plenty of water, otherwise the buds will drop out; cut hard back in autumn or spring to keep compact plants; remove withered blooms to prevent diseases; winter rather dry and frost-free; *oleanders* are prone to an unremediable bacterium; cut back attacked plant parts and clean hands and scissors well afterwards; burn down attacked parts.



NERIUM OLEANDER hybrid



NERIUM OLEANDER hybrid



NERIUM OLEANDER hybrid



NERIUM OLEANDER hybrid



NERIUM OLEANDER hybrid



NERIUM OLEANDER hybrid



NERIUM OLEANDER hybrid



NERIUM OLEANDER hybrid




NERIUM OLEANDER hybrid



NERIUM OLEANDER 'Album'



NERIUM OLEANDER 'Alassio'




NERIUM OLEANDER 'Alsace'




NERIUM OLEANDER 'Luteum Plenum'



NERIUM OLEANDER 'Mont Blanc'




NERIUM OLEANDER 'Petite Red'
Low-growing.



NERIUM OLEANDER 'Petite Salmon'
Low-growing.




NERIUM OLEANDER 'Sealy Pink'



NERIUM OLEANDER *variegata*



NERIUM OLEANDER 'Soleil Levant'




NERIUM OLEANDER 'Ville de la Londe'



NOLANA *paradoxa*
SOLANACEAE

Propagation: by seed.
Fertilize weekly; needs well-drained soil; gives the best results when grown in full sun; pretty annual for baskets and pots.



OCHNA *serrulata*
OCHNACEAE

Propagation: by cuttings.
Fertilize regularly; needs well-drained soil; trim in autumn and water sparingly; winter at 7 °C.




ODONTONEMA *schomburgkianum*
ACANTHACEAE

Propagation: by cuttings.
Fertilize regularly; needs plenty of warmth, moisture and shade in summer; cut back after flowering and fertilize once; winter rather dry at 5 °C; syn. *Thysacanthus rutilans*.




ODONTONEMA *strictum*
ACANTHACEAE

Propagation: by cuttings.
Evergreen shrub; fertilize regularly; needs plenty of warmth, moisture and shade in summer; keep rather dry at 5 °C in winter.



OLEA *europaea*
OLEACEAE

Propagation: by cuttings.
Evergreen shrub with fragrant flowers followed by edible fruit: olives; trim into shape in autumn; keep rather dry and frost-free in winter.



OMPHALODES *cappadocica* 'Starry Eyes'
BORAGINACEAE

Propagation: by division in spring.
Perennial, flowering over a long period; splendid for baskets and containers; fertilize regularly.



OPHIOPOGON *planiscapus* 'Nigrescens'
CONVALLARIACEAE

Propagation: by division.
Clump-forming perennial with almost black leaves; flowers are followed by black berries; when grown in pots, fertilize regularly.



ORIGANUM 'Bristol Cross'
LABIATAE/LAMIACEAE

Propagation: by division.
Pretty perennial, suitable for pots; attractive to bees; fragrant; frost-hardy; it is better to keep rather dry and frost-free in winter.




ORIGANUM 'Pagoda Bells'
LABIATAE/LAMIACEAE


Propagation: by division.
Creeping perennial with long slender stems; lovely for use in baskets because of its pink to mauve abundance of flowers; when grown in pots keep rather dry and frost-free in winter.



OSTEOSPERMUM hybrid
 ASTERACEAE/COMPOSITAE
 Propagation: by cuttings or seed.
 Fertilize weekly; remove withered flowers; start
 each year with young plants to get the best results;
 lovely for pots.



OSTEOSPERMUM hybrid
 ASTERACEAE/COMPOSITAE
 See the first *O.* hybrid.




OSTEOSPERMUM hybrid
 ASTERACEAE/COMPOSITAE
 See the first *O.* hybrid.



OSTEOSPERMUM hybrid
 ASTERACEAE/COMPOSITAE
 See the first *O.* hybrid.



OSTEOSPERMUM hybrid
 ASTERACEAE/COMPOSITAE
 See the first *O.* hybrid.



OSTEOSPERMUM *jucundum*
 ASTERACEAE/COMPOSITAE
 See the first *O.* hybrid.




OXALIS
 OXALIDACEAE
 Propagation: by small bulbs.
 Fertilize weekly; pretty for baskets; cut back in
 autumn and keep rather dry and frost-free in win-
 ter; it is better to start with new bulbs; 'Shamrock'.



OXALIS *bowiei*
 OXALIDACEAE
 Propagation: by small sections of the rhizomes.
 Fertilize weekly; pretty in baskets; keep rhizomes
 dry and frost-free in winter.




OXALIS *hirta*
 OXALIDACEAE
 Propagation: by small sections of the rhizomes.
 Fertilize weekly; pretty for baskets; keep the rhi-
 zomes dry and frost-free in winter.



OXALIS lobata

OXALIDACEAE


Propagation: by small sections of the rhizomes.
Fertilize weekly; clump-forming perennial; lovely for baskets and containers; keep the rhizomes dry and frost-free in winter.



OXALIS obtusa

OXALIDACEAE

Propagation: by small sections of the rhizomes.
Fertilize weekly; lovely in baskets; keep the rhizomes dry and frost-free.



OXYPETALUM caeruleum

ASCLEPIADACEAE

Propagation: by cuttings.
Fertilize weekly; trim somewhat before winter if necessary; keep rather dry and frost-free in winter; syn. *Tweedia caeruleum*.



PACHYSTACHUS lutea

ACANTHACEAE

Propagation: by cuttings.
Fertilize weekly; keep rather dry in winter at 8 °C.



PANDARCAMDA hybrid

IRIDACEAE


Propagation: by division of the rhizomes.
Fertilize weekly; lovely for use in baskets; keep rather dry in winter; hybrid between 'Belamcanda' and 'Iris'.



PANDARCAMDA hybrid

IRIDACEAE

See the first *P.* hybrid.



PANDARCAMDA hybrid

See the first *P.* hybrid.



PANDARCAMDA hybrid

IRIDACEAE

See the first *P.* hybrid.



PANDOREA jasminoides

BIGNONIACEAE

Propagation: by cuttings.
Fertilize weekly; splendid for training along a wire-netting pillar; trim in autumn and keep rather dry at 5 °C in winter; keeps its leaves if wintered at 10 °C and with more water.



PASSIFLORA *x arisa*
A new hybrid; winter at 10 °C.



PASSIFLORA *aurantia*
Very floriferous.

PASSIFLORA
PASSIFLORACEAE


Propagation: by cuttings.
Fertilize weekly; needs some shelter against very hot midday sun; many passifloras produce fruits after flowering; cut hard back in autumn – to 20 cm. above the pot – and keep rather dry in winter; most passifloras winter at 4 °C; otherwise this will be reported under the relevant photo; *P. caerulea* is nearly hardy.



PASSIFLORA 'Lavender Lady'
Very floriferous.



PASSIFLORA *caerulea*
Fragrant; orange fruits.



PASSIFLORA *caerulea x racemosa*



PASSIFLORA *cincinnata*
Fragrant; winter at 10 °C.



PASSIFLORA *citrina*
Splendid for baskets; winter at 10 °C.




PASSIFLORA *edulis* 'Knight'
Winter at 10 °C.



PASSIFLORA 'Elizabeth'
Fragrant; floriferous.



PASSIFLORA *x exoniensis*
Banana-shaped fruits.



PASSIFLORA *herbertiana*
Difficult to make cuttings; it is better to sow; winter at 10 °C; fading flowers; edible fruits.



PASSIFLORA *incarnata*
Dies back; frosthardy.



PASSIFLORA *incarnata* 'Alba'
A new variety.




PASSIFLORA *karwinski*
Fragrant; for baskets.




PASSIFLORA 'Kaiserin Eugénie'
Fragrant.



PASSIFLORA 'Lavender Lady'
Easy; floriferous.




PASSIFLORA *mixta*
Upright flower.



PASSIFLORA *morifolia*
Very floriferous.



PASSIFLORA *naviculata*



PASSIFLORA *peresii*
Winter at 10 °C.



PASSIFLORA *sanguinolenta*
Splendid for baskets; very floriferous.



PASSIFLORA 'Sunburst'
Small flower; very floriferous.



PASSIFLORA *vitifolia*
Winter at 10 °C.



PANDOREA *jasminoides* 'Alba'
BIGNONIACEAE

Propagation: by cuttings.


Fertilize weekly; this white variety is an eye-catcher when grown as a pillar; trim in autumn and keep rather dry at 5 °C; keeps its leaves at 10 °C and with more water.



PANDOREA *jasminoides* 'Rosea'
BIGNONIACEAE

Propagation: by cuttings.


Fertilize weekly; a pink variety; climber; trim in autumn and keep rather dry at 5 °C; keeps its leaves at 10 °C and with more water; eye-catcher.



PARAHEBE *catarractae*

Propagation: by cuttings.

Fertilize regularly; when grown in pots, protect from severe frost; place in garage or other frost-free room.



PAROCHETUS *communis*
LEGUMINOSAE

Propagation: by division.


Creeping perennial with long slender stems; pretty hanger; short-living; needs renewing regularly; keep young plants in a heated room.



PAVONIA *braziliensis*
MALVACEAE

Propagation: by cuttings.

Fertilize regularly; keep rather dry at 5 °C in winter.



PAVONIA *spinifex*
MALVACEAE

Propagation: by cuttings.

Fertilize regularly; keep rather dry at 5 °C in winter.



PENSTEMON *glabra*
SCROPHULARIACEAE

Propagation: by division.


Fertilize regularly if grown in pots; not very hardy; protect from severe frost with a winter mulch; when grown in pots, protect from frost.



PENSTEMON 'Rich Ruby'
SCROPHULARIACEAE

Propagation: by division.

Fertilize regularly if grown in pots; not very hardy; protect from severe frost with a winter mulch; when grown in pots protect from frost.




PENTAS *lanceolata* 'Paradise'
RUBIACEAE

Propagation: by cuttings.

Fertilize weekly; easy to grow; flowers throughout the season; if necessary cut back in autumn; if not necessary, keep rather dry and frost-free in winter.

☀️ 💧 🌸 5-10 ❄️ 5°C




PELARGONIUM *decora* red

PELARGONIUM
GERANIACEAE

Propagation: by cuttings.

Fertilize each 14 days; *pelargoniums* are very nice plants, and flower for months; suitable for many purposes; cut back in autumn and keep rather dry and frost-free in winter; to prevent diseases, mind that the humidity does not becomes too high, especially at a low temperature; if temperature kept at 10 °C plants may flower over winter.

☀️ 💧 🌸 5-10 ❄️ 5°C



PELARGONIUM 'Ville de Paris'
Abundantly flowering, trailing plant.

☀️ 💧 🌸 5-10 ❄️ 5°C



PELARGONIUM
Red climber.

☀️ 💧 🌸 5-10 ❄️ 5°C



PELARGONIUM
Scented foliage.

☀️ 💧 🌸 5-10 ❄️ 5°C




PELARGONIUM *domesticum*
'Cinderella'

☀️ 🌧️ 🌸 5-10 ❄️ 5°C




PELARGONIUM *domesticum* 'Doris Hanrock'

☀️ 🌧️ 🌸 5-10 ❄️ 5°C




PELARGONIUM 'L'Elegante'
Trailing pelargonium with variegated foliage.

☀️ 🌧️ 🌸 5-10 ❄️ 5°C



PELARGONIUM 'Hills of Snow'
Lovely silver variegated.

☀️ 🌧️ 🌸 5-10 ❄️ 5°C



PELARGONIUM stellar 'Arctic Star'
Floriferous; resists all kinds of weather.

☀️ 🌧️ 🌸 5-10 ❄️ 5°C



PELARGONIUM stellar 'Meadowside Midnight'
Floriferous; resists all kinds of weather.


☀️ 🌧️ 🌸 5-10 ❄️ 5°C




PELARGONIUM 'Mini Czech'
Dwarf with dark leaves.




PELARGONIUM 'Pink Pet'
Strong plant; floriferous.



PELARGONIUM 'Platinum'
Floriferous.




PELARGONIUM 'Robert Fish'
Dwarf with gold variegated foliage.



PELARGONIUM 'Mr. Wren'
Very striking.



PELARGONIUM *tricolor*
Hard to winter.




PELARGONIUM
Group.



PENTAS *lanceolata* 'Bright Pink'
RUBIACEAE
See *P. lanceolata* 'Paradise'.



PENTAS *lanceolata* 'Pink'
See *P. lanceolata* 'Paradise'.



PENTAS *lanceolata* 'Candy Stripe'
RUBIACEAE
See *P. lanceolata* 'Paradise'.



PENTAS *lanceolata* 'Royal Red'
RUBIACEAE
See *P. lanceolata* 'Paradise'.




PENTAS *lanceolata* 'Alba'
RUBIACEAE
See *P. lanceolata* 'Paradise'.




PERESKIA *corrilata*
CACTACEAE
Propagation: by cuttings.
Fertilize once a month; pretty climber; keep rather dry at 5 °C in winter.



PERESKIA *grandiflora*
CACTACEAE
Propagation: by cuttings.
Fertilize once a month; pretty climber; spiny; keep rather dry at 5 °C.



PERESKIA *sacharosa*
Propagation: by cuttings.
Fertilize once a month; pretty plant for containers; spiny; keep rather dry at 5 °C in winter; syn. *P. nemorosa*.



PERNETTYA *mucronata* 'Lilacina'
ERICACEAE
Propagation: by cuttings.
Fertilize regularly if grown in pots; needs somewhat acidic soil; flowers are followed by berries; grow male and female plants together to get berries.



PERNETTYA mucronata 'Alba'
ERICACEAE

Propagation: by cuttings.
Fertilize regularly if grown in pots; needs somewhat acidic soil; flowers are followed by berries; grow male and female plants together to get berries.




PETREA volubilis
VERBENACEAE

Propagation: by cuttings.
Fertilize regularly; particular climber with rough leaves; cut back long slender stems in autumn and keep rather dry and frost-free in winter.



PETUNIA double white
SOLANACEAE

Propagation: by seed.
Fertilize weekly; long slender stems could be trimmed; not recommended for wintering; it is better to start each year with young plants.



PETUNIA 'Strawberry Sunday'
SOLANACEAE

See *P. double white*.



PETUNIA
SOLANACEAE

See *P. double white*.



PHASAEOLUS caracalla
LEGUMINOSAE

Propagation: by seed.
Fertilize weekly; vigorous climber; striking; can flower also in winter at 15 °C; trim slender stems in spring.



PHLOMIS fruticosa
LABIATAE/LAMIACEAE

Propagation: by division or cuttings.
Fertilize regularly; not very hardy perennial; splendid in pots in a yellow corner.



PHLOX bifida
POLEMONIACEAE

Propagation: by division.
Clump-forming evergreen perennial; suitable for pots.



PHOENIX canariensis
ARECACEAE/PALMAE

Fertilize once a month; in autumn, beautiful orange fruits appear in large racemes; water sparingly in winter.



PHOENIX *canariensis* dades
ARECACEAE/PALMAE

Fertilize once a month; in autumn, beautiful orange fruits appear in large racemes; water sparingly in winter.



PHYGELIUS *aqualis* 'Yellow Trumpet'
SCROPHULARIACEAE

Propagation: by cuttings.
Fertilize weekly; wrongly named the 'yellow fuchsia'; cut hard back in autumn; keep rather dry and frost-free in winter.




PHYGELIUS *capensis* 'Trewidden'
SCROPHULARIACEAE

Propagation: by cuttings.
Fertilize weekly; cut hard back in autumn and keep rather dry and frost-free in winter; *P. capensis* is more trailing than *P. aqualis*.



PHYLLICA *ericoides*
RHAMNACEAE

Propagation: by cuttings.
Fertilize regularly; needs humus-rich, well-drained soil; winter rather dry.




PIERIS *japonica* 'Valley Valentine'
ERICACEAE

Propagation: by cuttings.
Fertilize regularly if grown in pots; recommended for growing in containers because of its early flowering; splendid racemes with dark-red flowers; tolerates shade.



PINUS *nigra* 'Pierrick Bregum'
PINACEAE

Slow-growing; fragrant; recommended for pots on a terrace.




PITTOSPORUM *tenuifolium* 'Tom Thumb'
PITTOSPORACEAE

Propagation: by cuttings.
Fertilize regularly; low-growing shrub; fragrant; pretty, bronze-coloured foliage; when grown in pots, keep rather dry and frost-free in winter.



PITTOSPORUM *tobira*
PITTOSPORACEAE

Propagation: by cuttings.
Fertilize regularly; scented flowers followed by yellow-brown seed pods; grown in pots: keep rather dry and frost-free in winter; could be trimmed if necessary.



PITTOSPORUM *tobira* berries
PITTOSPORACEAE

See *P. tobira*.



PITTOSPORUM *tobira variegata*

PITTOSPORACEAE

Propagation: by cuttings.

See *P. tobira*.



PLUMBAGO *auriculata*

PLUMBAGINACEAE

Propagation: by cuttings.

Fertilize weekly; lovely climber; cut hard back in autumn; winter rather dry and frost-free; named 'Leadwort'; syn. *P. capensis*.




PLUMBAGO *auriculata alba*

PLUMBAGINACEAE

Propagation: by cuttings.

Fertilize weekly; lovely climber; splendid when grown as a pillar; cut hard back in autumn; winter rather dry and frost-free; syn. *P. capensis*.



PLUMBAGO *indica*

PLUMBAGINACEAE

Propagation: by cuttings.

Hard to grow; winter flowering; needs to winter at a minimum of 14 °C.



PLUMERIA *rubra var. acutifolia*

APOCYNACEAE

Propagation: by cuttings.

Fertilize regularly; keep almost dry during winter, at 10 °C.



PODRANEA *brysei*

BIGNONIACEAE

Propagation: by cuttings.

Fertilize weekly; pretty climber; cut hard back in autumn and keep rather dry and frost-free in winter.




PODRANEA *ricasoliana*

BIGNONIACEAE

Propagation: by cuttings.

Fertilize weekly; climber; cut hard back in autumn; winter rather dry and frost-free.



POLYGALA *dalmaciana*

POLYGALACEAE

Propagation: by cuttings.

Fertilize weekly; flowers at intervals; needs well-drained soil; trim into shape after flowering; winter rather dry at 7 °C; syn. *P. myrtifolia* var. *grandiflora*.



POLYGALA *fruticosa*

POLYGALACEAE

Propagation: by cuttings.

Fertilize regularly; needs well-drained soil; dislikes "wet feet"; trim after flowering; keep rather dry and frost-free in winter.




PORTULACA *umbratiolo*

PORTULACACEAE

Propagation: by seed.

Fertilize weekly; with its bright colours, splendid for baskets or in a bowl at the table; at drought, the leaves fold up.




PORTULACA *umbratiolo*

PORTULACACEAE

See the first *P. umbratiolo*.


☀️ ♂♂♂ 6-11 ❄️ 10°C



PORTULACA *umbratiolo*

PORTULACACEAE

See the first *P. umbratiolo*.



PORTULACA *umbratiolo*

PORTULACACEAE

See the first *P. umbratiolo*.

☀️ ♂♂♂ 6-11 ❄️ 10°C



PORTULACA *umbratiolo*

PORTULACACEAE

See the first *P. umbratiolo*.

☀️ ♂♂♂ 6-11 ❄️ 10°C



PORTULACA *umbratiolo*

PORTULACACEAE


See the first *P. umbratiolo*.



POLYGALA *myrtifolia*
POLYGALACEAE

Propagation: by cuttings.


Fertilize weekly; needs well-drained soil; flowers at intervals; trim after flowering; keep rather dry and frost-free in winter.



POLYGONUM *capitatum*
POLYGONACEAE

Propagation: by division.

Invasive perennial; suitable for pots; not really hardy; protect from severe frost with a winter mulch; if grown in pots, keep frost-free in winter.



PONCIRUS *trifoliata*
RUTACEAE

Propagation: by seed or cuttings.


Fertilize regularly; has very sharp spines; after flowering, green fruits appear.



PRIMULA *x pubescens*
PRIMULACEAE

Propagation: by division.

Fertilize regularly; because of its early flowering, splendid for pots on a terrace.



PRIMULA *x pubescens*
PRIMULACEAE

See the first *P. x pubescens*.



PRIMULA *vulgaris* 'Double White'
PRIMULACEAE

See the first *P. x pubescens*.



PRIMULA *vulgaris* subsp. *sibthorpii*
PRIMULACEAE


Propagation: by division.

Fertilize regularly; because of its early flowering, splendid for pots on a terrace; eye-catcher.



PRIMULA
PRIMULACEAE

See the first *P. x pubescens*.



PRIMULA
PRIMULACEAE

See the first *P. x pubescens*.



PROSTANTHERA *cuneata*

LABIATAE/LAMIACEAE

Propagation: by cuttings.

Fertilize regularly; crushed leaves are strongly aromatic; trim after flowering, but not too short; keep rather dry and frost-free in winter.




PROSTANTHERA *lasianthus*

LABIATAE/LAMIACEAE

Propagation: by cuttings.

Fertilize regularly; needs well-drained, moist soil; trim a bit in autumn; keep rather dry and frost-free.



PROSTANTHERA 'Poorinda Ballerina'

LABIATAE/LAMIACEAE

Propagation: by cuttings.

Fertilize regularly; needs moist, well-drained soil; trim in autumn, but not too short; keep rather dry and frost-free in winter; a hybrid from Australia.



PSEUDOCALYNUM *alliacum*


Little is known about this plant.



PSIDIUM *guajava*

MYRTACEAE

Fertilize weekly; fragrant; after flowering the vitamin C-rich guava fruits appear; keep rather dry and frost-free in winter; could be trained into shape.




PULMONARIA *saccharata*

BORAGINACEAE

Propagation: by division.

Hardy perennial; because of its early flowering, splendid for pots on a terrace.




PUNICA *granatum*

PUNICACEAE

Propagation: by cuttings.

Fertilize weekly; after mid-July, give less water and fertilizer; after flowering the decorative pomegranates appear; cut back in autumn and keep rather dry and frost-free in winter.




PUNICA *granatum* pomegranates

PUNICACEAE

Propagation: by cuttings.

See *P. granatum*



PUNICA *granatum flore plena*

PUNICACEAE

See *P. granatum*.



QUAMOCLIT *pennata*
CONVOLVULACEAE

Propagation: by seed.


Fertilize weekly; pretty, annual climber with striking red flowers; syn. *Ipomoea quamoclit*.



QUAMOCLIT *pennata* orange
CONVOLVULACEAE

Propagation: by seed.

Fertilize weekly; pretty, annual climber with striking orange flowers; syn. *Ipomoea quamoclit*.



QUISQUALIS *indica* young flower
COMBRETACEAE

Propagation: by cuttings.

Fertilize regularly; in a few days flowers change from white to pink to red; fragrant; keep rather dry and frost-free in winter.




QUISQUALIS *indica* flowers after 2 days
COMBRETACEAE

See *Q. indica* young flower.



QUISQUALIS *indica* adult
COMBRETACEAE

See *Q. indica* young flower.



RANUNCULUS
RANUNCULACEAE


Propagation: by seed.

Striking annual, early flowering; recommended for terrace pots.




RANUNCULUS
RANUNCULACEAE

See first *Ranunculus*.



RANUNCULUS
RANUNCULACEAE

See first *Ranunculus*.



REINWARDTIA *indica*
LINACEAE

Propagation: by cuttings.

Fertilize regularly; with a minimum temperature of 13 °C this plant could flower in winter; after flowering, water less.



RHAPIS *excelsa*

ARECACEAE/PALMAE

Propagation: by division.

Fertilize regularly; needs moist, well-drained soil; water less during winter.




RHODOCHITON *atrosanguineus*

SCROPHULARIACEAE

Propagation: by seed.


Fertilize weekly; climber; cut hard back in autumn and keep rather dry and frost-free; hard to winter; mostly grown as annual; also recommended as trailing plant.



RHODODENDRON *praecox*

ERICACEAE

Lovely, early-flowering hardy shrub; late night-frost could damage the early flowers.




RICINUS *communis*

EUPHORBIACEAE

Propagation: by seed

Fertilize regularly; before sowing, soak seed for 24 hours; plant out when danger of frost has passed; mostly grown as annual; 'Castor oil plant'.




RONDELETIA *splendens*

RUBIACEAE

Propagation: by cuttings.

Fertilize weekly; pretty summer-flowering shrub; cut back in autumn and keep rather dry at 7 °C in winter.




RUELLIA *brittonianum* 'Blue'

ACANTHACEAE

Propagation: by cuttings.

Fertilize weekly; prone to wind; could be trimmed into shape; winter at 15 °C.



RUELLIA *brittonianum* 'White'

ACANTHACEAE

See *R. brittonianum* 'Blue'.



RUELLIA *brittonianum* 'Pink'

ACANTHACEAE

See *R. brittonianum* 'Blue'.



RUELLIA *mackoyana*

ACANTHACEAE

Propagation: by cuttings.

Fertilize weekly; creeping shrub; splendid for baskets; winter at 15 °C; water less.



ROSMARINUS *lavendulaceus*
Creeping; not hardy.



ROSMARINUS *officinalis* 'Boule'
Creeping cultivar.

ROSMARINUS
LABIATAE/LAMIACEAE

Propagation: by cuttings.
Fragrant; needs poor soil and moderate fertilizer;
half-hardy; keep rather dry and frost-free in winter
for the best results; creeping cultivars are
splendid for use in baskets.



ROSMARINUS *officinalis* 'Corsican
Blue'
Creeping cultivar.



ROSMARINUS *officinalis* hybrid
Vigorous *rosmarinus*.




ROSMARINUS *officinalis* hybrid
Pretty cultivar.




ROSMARINUS *officinalis* 'Majorica Pink'
Pink variety.



ROSMARINUS *officinalis* 'Sissinghurst White'
The white rosmary.



ROSMARINUS *officinalis* 'Vicomte de Noai'
Creeping.



ROSMARINUS 'Pyramidalis'
Vigorous, upright-growing variety.



ROSMARINUS



ROSMARINUS



RUELLIA 'Shooting Star'

ACANTHACEAE

Propagation: by cuttings.

Fertilize weekly; could be trimmed into shape; winter at 15 °C; water less.




RUSSELLIA *equisetiformis* 'Alba'

SCROPHULARIACEAE

Propagation: by cuttings.

Fertilize weekly; striking, trailing perennial; needs plenty of water in summer; cut back old stems in autumn and keep rather dry at 10 °C in winter; not easy.



RUSSELLIA *equisetiformis*

SCROPHULARIACEAE

Propagation: by cuttings.

Fertilize weekly; striking, trailing perennial; needs plenty of water in summer; cut back old stems in autumn; keep rather dry at 10 °C in winter; not easy.



RUTTHYA *fruticosa*

ACANTHACEAE

Propagation: by cuttings.

Fertilize weekly; long slender stems could be trimmed; cut hard back in autumn; keep rather dry at 10 °C in winter; striking flower.



RUTTHYA *ruspolia*

ACANTHACEAE

Propagation: by cuttings.

Fertilize weekly; cut hard back in autumn; keep rather dry at 10 °C in winter.



RUTTHYA *fruticosa* 'Scholesei'

ACANTHACEAE

Propagation: by cuttings.

Fertilize weekly; long slender stems could be trimmed; cut hard back in autumn and keep rather dry at 10 °C in winter; striking flower.



SALVIA *canariensis*



SALVIA *chamaedryoides*

SALVIA
LABIATAE/LAMIACEAE


Propagation: by cuttings.
Fertilize weekly; many cultivars are perennials and suitable for growing in containers; many varieties have scented foliage; cut hard back in autumn and keep rather dry and frost-free in winter; easy to grow.




SALVIA *atrocyanea*
Dies back above ground.



SALVIA *chappelensis*
Continuously flowering.




SALVIA *cinnebarina*




SALVIA coccinea 'Pink and White'
Two-coloured flowers.



SALVIA discolor
Uncommon, coloured flower.




SALVIA elegans
Floriferous.




SALVIA farinacea
Mostly grown as annual.



SALVIA farinacea light form



SALVIA fulgens



SALVIA gregii 'Alba'
Floriferous.



SALVIA guarantica 'Blue Enigma'
Lovely, flowered spikes.



SALVIA guarantica 'Dark Skies'



SALVIA involucrata



SALVIA jamensis 'Pat Vlasto'
Special colour.



SALVIA leucantha



SALVIA microphylla
Pretty, leathery leaves.




SALVIA officinalis tricolor



SALVIA patens



SALVIA patens 'Cambridge Blue'




SALVIA patens 'White Trophy'




SALVIA pitcherii 'Azura'




SALVIA *regia*




SALVIA *repens*
Strong, aromatic foliage.




SALVIA *splendens* purple
Mostly grown as annual.



SALVIA *splendens* pink
Mostly grown as annual.



SALVIA *splendens* red
Mostly grown as annual.



SALVIA red

**SANVITALIA *procumbens***

ASTERACEAE/COMPOSITAE

Propagation: by seed.

Fertilize weekly; creeping annual; suitable for baskets and containers.

**SARCOCOCCA *confusa***

BUXACEAE

Propagation: by cuttings.

Grows only in sun if soil remains sufficiently moist; fertilize regularly; fragrant; after flowering, glossy black berries appear; very suitable for pots because of its winter flowering.

**SARCOCOCCA *ruscifolia***

BUXACEAE

Propagation: by cuttings.


Scented flowers appear in winter, followed by dark red berries; very suitable for use in pots because of its winter flowering.

**SCADOXUS *multiflorus***

AMARYLLIDACEAE

Propagation: by seed or dividing the bulbs.

Bulbous perennial; fertilize regularly; dies back after flowering; keep the bulb dry in winter and replant in spring.

**SCAEOVOLA *aemula* 'Alba'**

GOODENIACEAE

Propagation: by cuttings.


Fertilize weekly; could be trimmed regularly; cut hard back in autumn; keep rather dry and frost-free; often disappointing; it is better to start each year with young plants.

**SCAEOVOLA *aemula* 'Blue Fan'**

GOODENIACEAE

Propagation: by seed or cuttings.

Fertilize weekly; could be trimmed regularly; cut hard back in autumn; keep rather dry and frost-free in winter; often disappointing; it is better to start each year with young plants.

**SCHAUERIA *calicotricha***

ACANTHACEAE

Propagation: by cuttings.

Fertilize regularly; needs well-drained soil; winter rather dry at 5 °C.

**SCHEFFLERA *venulosa***

ARALIACEAE

Propagation: by cuttings.

Fertilize regularly; water less in winter and keep at 10 °C.

**SCUTELLARIA *costaricana***

LABIATAE/LAMIACEAE

Propagation: by division.

Clump-forming, spreading perennial; very suitable for pots because of its low growth.



SEDUM *spectabile*

CRASSULACEAE

Propagation: by division.

Stately perennial, 40 cm. high; because of its late flowers, very suitable for pots on a terrace.



SENECIO *confusus* large

ASTERACEAE/COMPOSITAE

Propagation: by cuttings.

Vigorous climber; makes long slender stems; fertilize weekly; cut hard back in autumn and keep rather dry at 10 °C in winter; water more if leaves appear.



SENECIO *confusus* small

ASTERACEAE/COMPOSITAE

Propagation: by cuttings.

Vigorous climber; fertilize weekly; blooms more than *S. confusus* large; cut hard back in autumn and keep rather dry at 10 °C during winter; water more if leaves appear.



SENECIO *heritieri*

ASTERACEAE/COMPOSITAE

Propagation: by cuttings.

Fertilize regularly; fragrant racemes with flowers; cut back in autumn and keep rather dry at 5 °C in winter; syn. *Pericallis lanata*.



SKIMMIA *laureola* 'Kew White'

RUTACEAE

Propagation: by cuttings.


Fertilize regularly if grown in pots; evergreen; after flowering, splendid white berries appear; recommended for pots; keep on a terrace during winter.



SKIMMIA *reevesiana*

RUTACEAE

See *S. laureola* 'Kew White'.



SKIMMIA *japonica* 'Rubella'

RUTACEAE

See *S. laureola* 'Kew White'.



SOLANDRA *maxima*

SOLANACEAE

Propagation: by cuttings.

Fertilize regularly; fragrant climber; trim long slender stems; winter rather dry at 5 °C.



SOLLYA *heterophylla*

PITTOSPORACEAE

Propagation: by cuttings.

Fertilize weekly; keep rather dry at 8 °C in winter; trim old stems in spring; there are also white and pink varieties on the market.



SOLANUM *atropurpureum*



SOLANUM *aviculare*

The Aboriginals eat the fruit because of its vitamin C.

SOLANUM
SOLANACEAE

Propagation: by cuttings.

All *Solanums* need a fertilizer weekly; almost all of them are vigorous climbers; trim long slender stems during growing season; cut hard back in autumn and keep rather dry and frost-free in winter, if necessary in dark – they then lose their leaves; many produce edible fruits.




SOLANUM *bonariense*
Continuously flowering.



SOLANUM *crispum* 'Glasnevin'
Suitable for baskets.




SOLANUM *jasminoides*
Survives outdoors during not too severe winters.




SOLANUM *jasminoides*
Pretty climber.



SOLANUM *jasminoides variegata*
A variegated variety.



SOLANUM *mammosum* fruits
Very unusual fruits.



SOLANUM *muricatum*
Shrub with arching stems.



SOLANUM *muricatum* fruits
Delicious sweet fruits.




SOLANUM *piricante*
Spiny.



SOLANUM *quioense*
Spiny; orange edible fruits; flowers appear near the stem.




SOLANUM *rantonnettii*
Could be grown as shrub or climber.




SOLANUM *rantonnettii* 'Outre Mer'
Very dark blue variety.


Some *Solanums* have spikes: *S. wendlandii*, for instance, can be pretty mean; this you usually only notice after you've been pricked; *S. piricante* and *S. quioense* are also spiky; *S. aviculare* grows edible fruit after flowering – it can easily survive winter but often you'll also find young plants in the vicinity of the old; *S. muricatum* has deliciously sweet, lilac-crème coloured fruit; *S. jasminoides* is beautiful when trained along a wire-netting pillar, and young plants in a basket (if watered, fertilized and cut back regularly) can quickly grow into a lovely, attractive hanging plant.



SOLANUM *rantonnettii* 'Royal Robe'
Dark blue variety.




SOLANUM *rantonnettii* *variegata*
Variegated variety.



SOLANUM *sysibrifolium*



SOLANUM *wendlandii*
Splendid spiny climber.



SOLANUM *wendlandii*
Trim long slender stems during growing season; very spiny.



SPARMANNIA *africana*

TILIACEAE

Propagation: by cuttings.

Fertilize weekly; vigorous plant that needs plenty of fertilizer; cut hard back in autumn and keep rather dry at 6 °C in winter; 'African Hemp'.



SPARTIUM *junceum*

LEGUMINOSAE

Propagation: by cuttings.

Fertilize regularly; frost-tender shrub with arching branches; abundant flowering; winter rather dry and frost-free; if necessary, trim in spring.




SPHAERALCEA *munroana compacta*

MALVACEAE

Propagation: by cuttings.

Fertilize weekly; grows well in baskets; trim in autumn and keep rather dry and frost-free in winter.




STEPHANOTIS *floribunda*

ASCLEPIADACEAE

Propagation: by cuttings.

Fertilize regularly; keep rather dry in winter; give no fertilizer.




STEPHANOTIS *floribunda* variegata

ASCLEPIADACEAE

Propagation: by cuttings.

Fertilize regularly; winter rather dry; give no fertilizer; variegated hybrid.



STRELITZIA *reginae*

MUSACEAE

Propagation: by cuttings.

Fertilize regularly; needs a warm place; keep rather dry in winter; needs a cool place; the buds are born during this cool period; give a warmer place after that and water more.



STREPTOCARPUS *saxorum*

GESNERIACEAE

Propagation: by cuttings.

Fertilize weekly; suitable for baskets; keep rather dry at 10 °C in winter; from experience it is known that September cuttings produce better bloom the next year.




STREPTOSOLEN *jamesonii* orange

SOLANACEAE

Propagation: by cuttings.

Fertilize weekly; semi-climber; best grown with sufficient difference between day and night temperatures in spring; cut back in autumn; keep rather dry in winter.



STREPTOSOLEN *jamesonii* yellow

SOLANACEAE

Propagation: by cuttings.

Fertilize weekly; semi-climber; best grown with sufficient difference between day and night temperature in spring; cut back in autumn and keep rather dry in winter.



SURFINIA *rose pink*



SURFINIA *hot pink*

SOLANACEAE

See *S. rose pink*.

SURFINIA
SOLANACEAE

Fertilize weekly; grows well everywhere; trim long slender stems; wintering is possible but disappointing; start with young plants in spring.



SURFINIA *blue vein*

SOLANACEAE


See *S. rose pink*.



SURFINIA *purple vein*

SOLANACEAE

See *S. rose pink*.



SURFINIA *pink vein*

SOLANACEAE

See *S. rose pink*.



SURALIA *pinnata*

Little is known about this plant.



SYZYCHIUM *paniculatum*

MYRTACEAE

Splendid cultivar of the *myrte* family; fertilize moderately; needs acid soil and soft water; purple berries appear after flowering; keep rather dry at 5 °C in winter; could be trimmed in shape.




TABERNAEMONTANA *divaricata*

BIGNONIACEAE

Propagation: by cuttings.

Fertilize regularly; fragrant; winter rather dry and frost-free.




TAGETES

ASTERACEAE/COMPOSITAE

Propagation: by seed.


Fertilize weekly; sow early spring; intolerant of excessive rainfall.



TAGETES *x patula*

ASTERACEAE/COMPOSITAE

See *Tagetes*.



TAGETES *x patula*

ASTERACEAE/COMPOSITAE

See *Tagetes*.



TAGETES 'Naughty Mariette'

ASTERACEAE/COMPOSITAE


See *Tagetes*.



TAGETES 'Striped Marvel'

ASTERACEAE/COMPOSITAE

See *Tagetes*.



TAGETES *x patula* yellow

ASTERACEAE/COMPOSITAE


See *Tagetes*.



TECOMA *capensis* yellow
BIGNONIACEAE

Propagation: by cuttings.


Fertilize weekly; lovely, arching perennial; needs plenty of warmth to get flowers; cut hard back in autumn; keep rather dry and frost-free in winter; syn. *Tecomaria capensis*.



TECOMA *capensis* orange
BIGNONIACEAE

Propagation: by cuttings.

Fertilize weekly; lovely, arching perennial; needs plenty of warmth to get flowers; cut hard back in autumn and keep rather dry and frost-free in winter; syn. *Tecomaria capensis*.



TECOMA *castanifolia*
BIGNONIACEAE

Propagation: by cuttings.


Fertilize weekly; large racemes of gold-yellow flowers; cut hard back in autumn; keep rather dry and frost-free in winter; syn. *T. gaudichaudi*.



TECOMA *x smithii*
BIGNONIACEAE

Propagation: by cuttings.


Fertilize weekly; large racemes of yellow flowers with an orange tinge; cut back in autumn; keep rather dry and frost-free in winter.



THEVETIA *peruviana*
APOCYNACEAE


Propagation: by cuttings.

Fertilize weekly; needs full sun, warmth and a sheltered place; splendid; prune sparingly; winter rather dry at 12 °C.




THEVETIA *peruviana alba*
APOCYNACEAE

See *T. peruviana alba*.



THEVETIA *peruviana* salmon
APOCYNACEAE


See *T. peruviana alba*.



THYMUS *citriodorus* 'Aureus'
LABIATAE/LAMIACEAE

Propagation: by division.

Clump-forming perennial; culinary use; fragrant; produces a lilac-pink "cushion" in pots; dislikes overwatering; protect from excessive rainfall.




THYMUS *vulgaris compactus*
LABIATAE/LAMIACEAE

Propagation: by cuttings or division.

Clump-forming perennial; culinary use; fragrant; produces a lilac-pink "cushion" in pots; dislikes overwatering; protect from excessive rainfall.




THUNBERGIA *alata* pale yellow
Annual climber; named 'Black-eyed Susan'.



THUNBERGIA *alata* yellow

THUNBERGIA
ACANTHACEAE

Propagation: by cuttings.
Fertilize weekly; climbers and shrubs; trim
climbers in autumn and keep rather dry at 10 °C
in winter; *T. alata* will mostly be offered as
annual, but could winter.



THUNBERGIA bow
'Susan' trained along a bow.



THUNBERGIA *alata* white



THUNBERGIA *battiscombii*
Cobalt-blue flowers with yellow heart.



THUNBERGIA *erecta*
Upright-growing shrub.



THUNBERGIA *fragrans*
Fragrant, white flowers.



THUNBERGIA *grandiflora*
Climber with soft blue flowers.



THUNBERGIA *gregorii*
Often grown as annual, but is perennial.



THUNBERGIA *gregorii x alata* yellow
A new hybrid - perennial.




THUNBERGIA *lancifolia*
Large sky-blue flowers.



THUNBERGIA *laurifolia*
Large cobalt-blue flowers.



THUNBERGIA *mysorensis*
Evergreen climber; lovely along a pergola, resulting in splendid hanging flowers.



THUNBERGIA *natalensis*
A blue *T. lancifolia*.



TIBOUCHINA *gayana*
 Creeping small shrub full of small white flowers;
 lovely for baskets.



TIBOUCHINA *grandiflora*
 Splendid hairy leaves.

TIBOUCHINA
MELASTOMATACEAE

Propagation: by cuttings.
 Fertilize weekly; cut older plants hard back in autumn; keep rather dry at 6 °C in winter; from *T. urvalliana* (with splendid velvety-blue flowers, but unfortunately rather late flowering) is an improved cultivar on the market with the same splendid flowers, but flowering much earlier; there is also *T. nana* on the market; this plant grows very compactly, flowers earlier and very abundantly; year after year more species and cultivars appear, also in white and pink colours; all worth growing.



TIBOUCHINA hybrid improved form
 Earlier flowering than *T. urvalliana*.



TIBOUCHINA *melastoma*
 Pretty pink flower.



TIBOUCHINA *nana*
 Mind the stamens.



TIBOUCHINA *organensis*
Velvety-soft grey-green foliage.



TIBOUCHINA *paratropica*
Creeping small shrub with pink flowers; for baskets.



TIBOUCHINA *rosea*
Large pink flowers.



TIBOUCHINA *viminalis*
Small shrub with violet flowers; rare:



TIBOUCHINA *urvalliana*
The well-known tibouchina.



TIBOUCHINA *viminalis*
Large plant.



TORENIA *summerwave* 'Blue'

SCROPHULARIACEAE

Propagation: by seed.

Fertilize weekly; beautiful annual; suitable for pots and baskets.




TRACHELOSPERMUM *jasminoides*

APOCYNACEAE

Propagation: by cuttings.

Fertilize weekly; evergreen climber; fragrant; resists some frost; trim long slender stems in autumn; keep rather dry and frost-free in winter.



TROPAEOLUM double orange

TROPAEOLACEAE

Propagation: by seed.

Fertilize once a month; needs poor soil; splendid for pots and baskets.




TROPAEOLUM *perigrinum*

TROPAEOLACEAE

Propagation: by seed.

Fertilize once a month; vigorous climber; lovely when trained along a wire-netting pillar; syn. *T. canariense*.




TROPAEOLUM *tuberosum*

TROPAEOLACEAE

Propagation: by tubers.

Fertilize once a month; a perennial climber with tubers; keep rather dry and frost-free in winter.




TROPAEOLUM double red

TROPAEOLACEAE

Propagation: by seed.

Fertilize once a month; needs poor soil; splendid for pots and baskets.



TUMBELLINA 'Priscilla'

There is little known about this plant.




TURNERIE *ulmifolia*

TURNERACEAE

Propagation: by cuttings.

Fertilize regularly; flowers are very short-living, but bloom over a long period; keep rather dry and frost-free in winter.



UNCARINA *granderii*

PEDALIACEAE

Needs a sheltered place; water sparingly; keep dry in winter.



VERBENA rose red



VERBENA rose red with heart

VERBENA


VERBENACEAE

Propagation: by seed or cuttings.

Fertilize weekly; the last years have seen new forms from Japan, namely 'Tapien' and 'Pemari'; to prevent confusion in this book, only the name *Verbena* is used; there are trailing and upright-growing *verbenas*; both are floriferous and suitable for growing in pots and baskets; cut hard back in autumn and keep rather dry and frost-free during winter; it is better to make cuttings in autumn; winter these plants in a not too cold place and start each year with these new plants.



VERBENA pale pink




VERBENA red with white heart




VERBENA 'Peach and Cream'



VERBENA pale pink



VERBENA red
Trailing.



VERBENA rose
Small flowers.



VERBENA lilac




VERBENA pale pink




VERBENA rose



VERBENA purple
Trailing.



VERBENA rose/light rose
Trailing.



VERBENA rose-red
Trailing.




VENEDIUM *fastuosum*

ASTERACEAE/COMPOSITAE

Propagation: by seed or cuttings.

Fertilize weekly; lovely when grown in pots; keep rather dry in winter; it is better to start each year with young plants; syn. *Arctotis fastuosum*.



VENEDIUM

ASTERACEAE/COMPOSITAE

Propagation: by seed or cuttings.

Fertilize weekly; lovely when grown in pots; keep rather dry in winter; it is better to start each year with young plants; syn. *Arctotis fastuosum*.



VERONICA *cantiana* 'Kentish Pink'

SCROPHULARIACEAE

Propagation: by division.


Fertilize regularly if grown in pots; sprouts roots easy; pretty perennial with long slender stems trailing over the baskets.



VERONICA *peduncularis* 'George Blue'

Propagation: by division.

Fertilize regularly if grown in pots; early-flowering; lovely perennial for pots and containers.



VIBURNUM *tinus* 'Eve Price'

CAPRIFOLIACEAE

Propagation: by cuttings.

Fertilize regularly if grown in pots; protect from severe frost; could be trimmed into shape; attractive because of its winter flowering.




VIBURNUM *tinus* 'Gwellian'

CAPRIFOLIACEAE

Propagation: by cuttings.

Fertilize regularly if grown in pots; protect from severe frost; can be trimmed into shape; attractive because of its winter flowering; dark-rose buds.



WASHINGTONIA *robusta*

ARECACEAE/PALMAE

Fertilize regularly; needs well-drained soil; keep rather dry and frost-free in winter.




WATTAKAKA *sinensis*

ASCLEPIADACEAE

Propagation: by cuttings.

Fertilize weekly; fragrant climber; trimming is not a necessity, but an overly large plant could be cut back in autumn; keep rather dry and frost-free in winter.




WESTRINGIA *fruticosa*

LABIATAE/LAMIACEAE

Propagation: by cuttings.

Fertilize regularly; a rather unknown shrub; trim in autumn and keep rather dry at 5 °C in winter.



VIOLA 'Winona Cawthorne'

VIOLACEAE

Propagation: by cuttings in autumn.


Fertilize regularly; winter rather dry or start next year with young plants.



VIOLA 'Columbine'

VIOLACEAE

See *V.* 'Winona Cawthorne'.



VIOLA odorata

VIOLACEAE


See *V.* 'Winona Cawthorne'.



VIOLA hybrid

VIOLACEAE

See *V.* 'Winona Cawthorne'.




VIOLA x wittrockiana

VIOLACEAE

Propagation: by cuttings.

Fertilize regularly if grown in pots; because of its early flowers, suitable for pots on a terrace.



VIOLA hybrid

VIOLACEAE

Propagation: by cuttings.

Fertilize regularly if grown in pots; cheers up a terrace in spring.

List of common names

African Blue Lily.....	<i>Agapanthus umbellatus</i>	Musk.....	<i>Mimulus</i>
African Hemp.....	<i>Sparmannia africana</i>	Navelwort.....	<i>Omphalodes cappadocica</i>
Angels' Trumpets.....	<i>Brugmansia</i>	Oleander.....	<i>Nerium oleander</i>
Arabicus.....	<i>Ophiopogon planiscapus Nigrescens</i>	Olive.....	<i>Olea europaea</i>
Balsam.....	<i>Impatiens</i>	Oregano.....	<i>Origanum</i>
Bay laurel.....	<i>Laurus nobilis</i>	Pansy.....	<i>Viola</i>
Black dragon.....	<i>Ophiopogon planiscapus Nigrescens</i>	Paprika.....	<i>Capsicum annum</i>
Blood flower.....	<i>Asclepias currasavica</i>	Parrot's beak.....	<i>Lotus berthelotii</i>
Blue glory bower.....	<i>Clerodendron ugandese</i>	Passion flower.....	<i>Passiflora</i>
Blue Hibiscus.....	<i>Alyogyne huegii</i>	Pelican's beak.....	<i>Lotus berthelotii</i>
Bottlebrush.....	<i>Callistemon</i>	Pineapple flower.....	<i>Eucomis</i>
Busy Lizzie.....	<i>Impatiens</i>	Pineapple lily.....	<i>Eucomis</i>
Calamint.....	<i>Calamintha</i>	Pink.....	<i>Dianthus</i>
Canary Island date palm.....	<i>Phoenix canariensis</i>	Plantain Lily.....	<i>Hosta</i>
Carnation.....	<i>Dianthus</i>	Pohutakawa.....	<i>Metrosideros</i>
Castor oil plant.....	<i>Ricinus communis</i>	Pomegranate.....	<i>Punica</i>
Cat's Paw.....	<i>Anigozanthos</i>	Pride of Madeira.....	<i>Echium fastuosum</i>
Cherry pie.....	<i>Heliotropium arborescens</i>	Primrose.....	<i>Primula</i>
Chilli pepper.....	<i>Albizzia julibrissin</i>	Rata.....	<i>Metrosideros</i>
Christmas Rose.....	<i>Helleborus niger</i>	Rattlebox.....	<i>Crotalaria</i>
Cigar flower.....	<i>Cuphea ignea</i>	Red ginger.....	<i>Alpinia purpurata</i>
Cock's comb.....	<i>Erythrina crista-galli</i>	Rock cress.....	<i>Arabis</i>
Common coral tree.....	<i>Erythrina crista-galli</i>	Rock rose.....	<i>Cistus</i>
Coral flower.....	<i>Heuchera</i>	Rose champion.....	<i>Lychnis coronaria</i>
Coral gem.....	<i>Lotus berthelotii</i>	Rosemary.....	<i>Rosmarinus</i>
Crane flower.....	<i>Strelitzia reginae</i>	Sage.....	<i>Salvia</i>
Creeping blueblossom.....	<i>Ceanothus thyrsiflorus var. repens</i>	Sea Pink.....	<i>Armeria juniperifolia</i>
Cruel plant.....	<i>Araujia sericofera</i>	Shamrock.....	<i>Oxalis</i>
Daisy.....	<i>Bellis</i>	Silk tree.....	<i>Albizzia julibrissin</i>
Dusty miller.....	<i>Lychnis coronaria</i>	Skullcap.....	<i>Scutellaria</i>
Ebony knight.....	<i>Ophiopogon planiscapus Nigrescens</i>	Snapdragon.....	<i>Antirrhinum</i>
Elephant-eared saxifrage.....	<i>Bergenia</i>	Snowdrop.....	<i>Galanthus</i>
Elephant's ears.....	<i>Bergenia</i>	Sorrel.....	<i>Oxalis, Veronica cantiana</i>
Fleabane.....	<i>Erigeron karvinskianus</i>	Speedwell.....	<i>Veronica peduncularis</i>
Fritillary.....	<i>Fritillaria</i>	Spider Flower.....	<i>Cleome</i>
Garland lily.....	<i>Hedychium</i>	Stonecrop.....	<i>Sedum</i>
Ginger lily.....	<i>Hedychium</i>	Strawberry tree.....	<i>Arbutus unedo</i>
Glory of the snow.....	<i>Chionodoxa</i>	Sun rose.....	<i>Cistus</i>
Golden creeping Jenny.....	<i>Lysimachia nummularia</i>	Swallow-wort.....	<i>Asclepias currasavica</i>
Granadilla.....	<i>Passiflora</i>	Sweet laurel.....	<i>Laurus nobilis</i>
Heliotrope.....	<i>Heliotropium arborescens</i>	Sweet William.....	<i>Dianthus barbatus</i>
Helmet flower.....	<i>Scutellaria</i>	Thyme.....	<i>Thymus</i>
Indian root.....	<i>Asclepias currasavica</i>	Tobacco plant.....	<i>Nicotiana</i>
Ivy.....	<i>Hedera</i>	Trailing Abutilon.....	<i>Abutilon megapotamica</i>
Japanese Sago Palm.....	<i>Cycas revoluta</i>	Tree Tomato.....	<i>Cyphomandra betacea</i>
Kangaroo Paw.....	<i>Anigozanthos</i>	Variegated ground ivy.....	<i>Glechoma hederacea var.</i>
Lavender.....	<i>Lavandula</i>	Violet.....	<i>Viola</i>
Leadwort.....	<i>Plumbago</i>	Wallflower.....	<i>Erysimum</i>
Lemon Verbena.....	<i>Aloysia citrodora</i>	Wattle.....	<i>Acacia</i>
Lion's ear.....	<i>Leonotis leonurus</i>	Yesterday, today, and tomorrow.....	<i>Brunfelsia pauciflora</i>
Loquat.....	<i>Eriobotrya japonica</i>		
Lungwort.....	<i>Pulmonaria</i>		
Marigold.....	<i>Tagetes</i>		
Marjoram.....	<i>Origanum</i>		
Mezereon.....	<i>Daphne mesereum</i>		
Mint.....	<i>Mentha</i>		
Monkey flower.....	<i>Mimulus</i>		

Indices

HANGING PLANTS

Anagallis monelli
Anagallis 'Scarlet'
Antirrhynum lilac
Antirrhynum yellow and white
Bacopa 'Snowflake'
Begonia sutherlandii
Bidens ferulifolia aurea
Bougainvillea glabra
Bougainvillea glabra light
Bougainvillea 'Rosenka'
Bougainvillea 'Australian Gold'
Bowiea volubilis
Brachyscome
Brachyscome iberifolia
Centradenia
Clematis cartmanii 'Joe'
Clematis forsteri
Coleus 'Meltencave' or 'Aubergine Jewel'
Convolvulus mauritanicus
Diascia
Epilobium glauca
Erigeron karvinskianus
Erysimum 'Moonlight'
Fuchsia procumbens
Glechoma hederacea variegata
Isotoma axillaris
Lantana montevidensis lavender
Lantana montevidensis pink
Lantana montevidensis white
Lobelia erinus 'Cambridge Blue'
Lotus berthelotii
Lotus berthelotii 'Gold'
Lotus jacobaeus
Lotus nigrescens
Lysimachia nummularia
Manettia inflata
'Million Bells' red
'Million Bells' yellow
'Million Bells' Cherry
'Million Bells' white
'Million Bells' Carillon Blue
Mimulus aurantiacus white
Mimulus bifidus 'Wine'
Mimulus glutinosus 'Monkey Musk'
Mimulus 'Strawberry Wine'
Mimulus 'Tangerine'
Mimulus white x *aurantiacus*
Nemesia strumosa 'KLM'
Nemesia strumosa 'Mello Red and White'
Nemesia strumosa 'Mello White'
Nolana paradoxa
Oxalis
Oxalis bowiei
Oxalis hirta
Oxalis lobata
Oxalis obtusa
Passiflora citrina
Passiflora karwinski
Passiflora sanguinolenta
Pelargonium decora red

Pelargonium 'Ville de Paris'
Pelargonium 'L'elegante'
Petunia
Russelia equisetiformis alba
Russelia equisetiformis
Sanvitalia
Scaevola aemula 'Blue Fan'
Scaevola aemula 'Alba'
Scutellaria costaricana
Sphaeralcea munroana compacta
Streptocarpus saxorum
Surfinias
Tibouchina gayana
Tibouchina paratropica
Torenia 'Summerwave Blue'
Tropaeolum
Verbena
Veronica cantiana 'Kentish Pink'

CLIMBING PLANTS

Allamanda carthartica
Allamanda carthartica 'Cherry Sunset'
Allamanda carthartica 'Chocolate Swirl'
Allamanda carthartica hendersonii
Allamanda schottii
Allamanda violacea
Angelonia rosea
Angelonia gardneri
Araujia sericifera
Aristolochia fimbriata
Asarina barclayana
Asarina scandens 'Bride's White'
Beaumontia grandiflora
Campsis grandiflora
Campsis radicans 'Flamingo'
Campsis radicans flava
Clerodendron thomsoniae
Clerodendron ugandense
Clitorea ternata
Cobaea scandens
Glechoma hederacea variegata
Hardenbergia violacea alba
Hardenbergia violacea
Hardenbergia violacea 'Pink Cascade'
Hibbertia scandens
Ipomoea alba
Ipomoea indica
Ipomoea leari
Ipomoea mauritiana
Ipomoea purpurea
Jasminum angulare
Jasminum azoricum
Jasminum mesnyi
Jasminum officinale
Jasminum polyanthum
Kennedia coccinea
Kennedia nigricans
Lapageria rosea
Mandevilla 'Alice du Pont'
Mandevilla amabilis

Mandevilla boliviensis
Mandevilla sanderi rosea
Mandevilla sanderi 'Scarlet Pimpernel'
Mandevilla suaveolens
Manettia inflata
Mimulus aurantiacus white
Mimulus bifidus 'Wine'
Mimulus glutinosus 'Monkey Musk'
Mimulus 'Strawberry Wine'
Mimulus 'Tangerine'
Mimulus white x *aurantiacus*
Monopsis kapablu
Pandorea jasminoides
Pandorea jasminoides 'Alba'
Pandorea jasminoides 'Rosea'
Passiflora x *arisa*
Passiflora auranticum
Passiflora caerulea
Passiflora caerulea x *amethystina*
Passiflora caerulea x *racemosa*
Passiflora cincinnata
Passiflora edulis 'Knight'
Passiflora 'Elizabeth'
Passiflora x *exoniensis*
Passiflora herbertiana
Passiflora incarnata
Passiflora incarnata alba
Passiflora 'Kaiserin Eugénie'
Passiflora 'Lavender Lady'
Passiflora mixta
Passiflora morifolia
Passiflora naviculata
Passiflora peresii
Passiflora 'Sunburst'
Passiflora vitifolia
Pereskia corrilata
Pereskia grandiflora
Pereskia sacharosa
Phasaeolus caracalla
Plumbago auriculata
Plumbago auriculata alba
Podranea brysei
Podranea ricasoliana
Quamoclit pennata
Quamoclit pennata orange
Rhodochiton atrosanguineus
Senecio confusus large
Senecio confusus small
Solandra maxima
Solanum aviculare
Solanum bonariense
Solanum crispum 'Glasnevin'
Solanum jasminoides
Solanum muricatum
Solanum quioense
Solanum rantonnettii
Solanum rantonnettii 'Ostre Mer'
Solanum rantonnettii 'Royal Robe'
Thunbergia alata light yellow
Thunbergia alata white
Thunbergia battiscombii
Thunbergia grandiflora
Thunbergia gregorii
Thunbergia gregorii x *alata* yellow
Thunbergia lancifolia
Thunbergia laurifolia

Thunbergia natalensis
Trachelospermum jasminoides
Tropaeolum
Tropaeolum perigrinum
Tropaeolum tuberosum
Wattakaka sinensis

BERRY- OR FRUIT-BEARING

Acca sellowiana
Arbutus unedo
Asclepias fruticosa
Asclepias physocarpus
Capparis frondosa
Capsicum annuum
Carissa grandiflora
Carissa macrocarpa
Carissa nana
Citrus
Coffea arabica
Cyphomandra betacea
Daphne mesereum 'Rubra'
Duranta repens
Duranta repens alba
Eriobotrya japonica
Ficus carica
Fuchsia arborescens
Grevillea rosmarinifolia
Hedera helix arborescens
Lagunaria patersonii
Murraya exotica
Musa violacea
Olea europaea
Passiflora caerulea
Passiflora x *exoniensis*
Passiflora herbertiana
Passiflora morifolia
Pernettya mucronata 'Lilacina'
Pernettya mucronata 'Alba'
Phoenix canariensis
Psidium guajava
Punica granatum
Punica granatum flora plena
Skimmia laureola 'Kew White'
Skimmia reevesiana
Solanum aviculare
Solanum muricatum
Solanum quioense

BLOOMING IN EARLY SPRING

Acacia 'Claire de Lune'
Acacia retinodes 'Lise'
Acacia 'St. Helena'
Acacia 'Tournaire'
Anemone blanda
Anemone blanda 'White Splendour'
Azalea
Bergenia 'Silberlicht'
Bergenia 'Admiraal'
Camellia
Cardamine quinquefolia
Ceanothus thyrsiflorus var. *repens*
Chamaelaucium uncinatum

Chionodoxa luciliae
Clematis cartmanii 'Joe'
Clerodendron wallichii
Correa 'Mannii'
Crocus tommasianus 'Barr's Purple'
Crocus tommasianus
Crocus 'Zwanenburg Brons'
Daphne mesereum 'Rubra'
Diosma hirsutum 'Pink Fountain'
Eranthemum nervosum
Fremontodendron californicum
Fritillaria imperialis lutea
Fritillaria imperialis rubra
Fritillaria persica
Galanthus nivalis
Grevillea juniperina
Grevillea longifolia
Grevillea 'Mount Tamboritha'
Grevillea rosmarinifolia
Kennedia nigricans
Mahonia japonica
Narcissus cyclamineus 'Tête à Tête'
Narcissus odoratus plenus
Omphalodes cappadocica 'Starry Eyes'
Parahebe catarractae
Primula x *pubescens*
Primula vulgaris 'Double White'
Primula vulgaris subsp. *sibthorpii*
Pulmonaria saccharata
Reinwardtia indica
Rhododendron praecox
Veronica peduncularis 'George Blue'
Viola x *wittrockiana*

ATTRACTIVE IN WINTER

Buxus
Helleborus niger
Heuchera 'Rachel'
Heuchera 'Stormy Seas'
Leucothoe axillaris
Leucothoe walterii 'Rainbow'
Ophiopogon planiscapus Nigrescens
Pernettya mucronata 'Lilacina'
Pernettya mucronata 'Alba'
Sarcococca confusa
Sarcococca ruscifolia
Skimmia laureola 'Kew White'
Skimmia reevesiana
Skimmia japonica rubella
Viburnum tinus 'Eve Price'
Viburnum tinus 'Gwellian'

GOOD-LOOKING FOLIAGE

Agave americana
Agave americana marginata aurea
Aloe arborescens
Aloe 'Campert Schweinfurth'
Asystasia gangetica alba
Chamaecyparis lawsoniana 'Nana'
Chamaerops humilis
Chrysalidocarpus lutescens
Coleus 'Brisana'

Coleus 'Meltencave' or 'Aubergine Jewel'
Coleus 'Morgenlava'
Coleus 'Ottoman'
Coleus 'Pineapple Beauty'
Cordaline australis
Cycas revoluta
Dracaena marginata
Echium fastuosum
Glechoma hederacea variegata
Hebe andersonii variegata
Hebe canterburiensis
Hebe diosmifolia
Hedera helix arborescens
Helichrysum petiolare
Helichrysum petiolare gold
Helichrysum petiolare silver
Helichrysum microphyllum
Hosta 'Blue Cadet'
Hosta fortunei 'Patriot'
Hosta sieboldii 'Snowflake'
Hosta 'Wide Brim'
Laurus nobilis
Lavatera 'Barnsley'
Leucothoe axillaris
Leucothoe walterii 'Rainbow'
Myrtus communis
Myrtus communis nana
Ophiopogon planiscapus Nigrescens
Pelargonium 'Hills of Snow'
Pelargonium 'L'elegante'
Pelargonium 'Robert Fish'
Phoenix canariensis
Washingtonia robusta

ODORIFEROUS PLANTS

Aloysia citrodora
Angelonia alba
Angelonia rosea
Beaumontia grandiflora
Bidens ferulifolia aurea
Bouvardia longiflora
Brugmansia arb. 'Engels Glocken'
Brugmansia aurea x arborescens
Brugmansia candida 'Cinderella'
Brugmansia candida 'Double White'
Brugmansia candida 'Weisz'
Brugmansia 'Gelber Riese'
Brugmansia suaveolens 'Gold'
Brugmansia suaveolens 'Goldtraum'
Brugmansia versicolor
Brugmansia versicolor 'Kew'
Brugmansia sanguinea flava
Brugmansia candida plena
Brunfelsia hopeana
Calamintha nepeta subsp. Nepeta
Carissa grandiflora
Carissa macrocarpa
Carissa nana
Cestrum nocturnum
Chamaelaucium uncinatum
Choisya 'Aztec Pride'
Choisya ternata
Citrus
Clerodendron bungei

Clerodendron fragrans
Cobaea scandens
Crinum powelli
Daphne mesereum 'Rubra'
Dianthus
Dianthus barbatus
Dombeya wallichii
Eriobotrya japonica
Eucalyptus radiata
Gardenia jasminoides
Gardenia augusta 'August B.'
Gardenia 'Belmone'
Gardenia 'Coral Gold'
Gardenia 'Miami Supreme'
Heliotropium amplexicaule
Heliotropium arborescens
Heliotropium arborescens alba
Heliotropium alba
Jasminum angulare
Jasminum azoricum
Jasminum nitidum
Jasminum officinale
Jasminum polyanthum
Jasminum revolutum
Jasminum sambac
Lavandula angustifolia alba
Lavandula dentata
Lavandula stoechas
Leucaena leucocephala
Ligustrum japonicum texanum
Mentha
Mentha longifolia 'Buddleia'
Murraya exotica
Narcissus odoratus plenus
Nicotiana glauca
Nicotiana alata
Origanum 'Bristol Cross'
Origanum 'Pagoda Bells'
Passiflora cincinnata
Passiflora karwinski
Passiflora 'Kaiserin Eugénie'
Prostanthera cuneata
Psidium guajava
Rosmarinus officinalis 'Boule'
Salvias
Senecio heritieri
Tabernaemontana divaricata
Thunbergia fragrans
Thymus citriodorus 'Aureus'
Thymus vulgaris compactus
Viola odorata
Wattakaka sinensis

ANNUALS

Alyssum 'Snow Crystals'
Anagallis monelli
Anagallis 'Scarlet'
Antirrhinum purple pink
Antirrhinum white and yellow
Bacopa 'Snowflake'
Bellis perennis
Brachyscome iberifolia
Brachyscome
Brachyscome iberifolia

Brassica
Capsicum annuum
Celosia
Celosia argentea pyramidalis
Cleome spinosa 'Cherry Queen'
Cleome spinosa 'Helen Campbell'
Cleome dark pink
Dianthus barbatus
Dimorphoteca aurea
Felicia ameloides blue
Felicia ameloides variegata
Felicia ameloides variegata alba
Gazania
Impatiens
Isotoma axillaris
Limnanthus douglasii
Lobelia erinus 'Cambridge Blue'
'Million Bells' red
'Million Bells' yellow
'Million Bells' Cherry
'Million Bells' white
'Million Bells' Carillon Blue
Nemesia strumosa 'KLM'
Nemesia strumosa 'Mello Red and White'
Nemesia strumosa 'Mello White'
Nicotiana alata
Nolana paradoxa
Osteospermum
Petunia
Portulaca
Quamoclit pennata
Quamoclit pennata orange
Ranunculus
Rosmarinus officinalis 'Sissinghurst White'
Salvia splendens violet
Salvia splendens red
Salvia splendens pink
Sanvitalia
Surfinias
Tagetes
Thunbergia alata light yellow
Thunbergia alata white
Torenia 'Summerwave Blue'
Tropaeolum perigrinum
Venedium fastuosum
Verbena
Viola x wittrockiana

PLANTS ATTRACTING BEES AND BUTTERFLIES

Asclepias currasavica
Asclepias currasavica 'Silky Gold'
Asclepias fruticosa
Asclepias physocarpus
Limnanthus douglasii
Linaria purpurea
Lobelia erinus 'Cambridge Blue'
Mentha
Mentha longifolia 'Buddleia'
Origanum 'Bristol Cross'
Origanum 'Pagoda Bells'
Rosmarinus officinalis 'Boule'
Rosmarinus officinalis 'Sissinghurst White'

Thymus citriodorus 'Aureus'
Thymus vulgaris compactus

GOOD-LOOKING SOLITARIES

Abutilon 'Boule de Neige'
Abutilon 'Citronella'
Abutilon 'Lemon Bells'
Abutilon 'Mini Orange'
Abutilon 'Orange Vein'
Abutilon 'Yellow Bells'
Abutilon 'Souvenir de Bonn'
Abutilon 'Giant Yellow'
Agapanthus umbellatus
Agapanthus umbellatus alba
Agapanthus 'Blue Giant'
Agapanthus 'Blue Moon'
Agave americana
Agave americana marginata aurea
Allamanda carthartica
Allamanda carthartica 'Cherry Sunset'
Allamanda carthartica hendersonii
Allamanda schottii
Allamanda violacea
Asclepias currasavica
Asclepias currasavica 'Silky Gold'
Asclepias fruticosa
Asclepias physocarpus
Bauhinia tomentosa
Begonia
Bougainvillea 'Appleblossom'
Bougainvillea 'California Gold'
Bougainvillea 'Italia Pink'
Bougainvillea spectabilis
Bouvardia longiflora
Brugmansia arb. 'Engels Glocken'
Brugmansia aurea x arborescens
Brugmansia candida 'Cinderella'
Brugmansia candida 'Double White'
Brugmansia candida 'Weisz'
Brugmansia 'Gelber Riese'
Brugmansia suaveolens 'Gold'
Brugmansia suaveolens 'Goldtraum'
Brugmansia versicolor
Brugmansia versicolor 'Kew'
Brugmansia sanguinea flava
Brugmansia candida plena
Brunfelsia hopeana
Brunfelsia pauciflora
Brunfelsia pauciflora 'Macrantha'
Canna indica red
Cassia artemisioides
Cassia corymbosa
Cassia didymobotria
Cassia floribunda
Clerodendron bungei
Clerodendron ugandense
Curcuma alisilatifolia
Erythrina x bidwillii
Erythrina crista-galli
Erythrina fespaticida
Erythrina herbacea
Eucomis bicolor
Fremontodendron californicum

Fuchsia arborescens
Fuchsia cordifolia
Fuchsia fulgens rubra grandiflora
Fuchsia juntasensis
Hedychium coronarium
Hedychium gardnerianum
Hibiscus acetosella
Hibiscus 'Double Mini Skirt'
Hibiscus 'Charles September'
Hibiscus 'Geisha'
Hibiscus 'Janys'
Hibiscus 'Jim Hendry'
Hibiscus 'Mystic Pink'
Hibiscus coccineus
Hibiscus moscheutos
Hibiscus mutabilis
Hibiscus trionum
Hibiscus schizopetalus
Iochoroma cyaneum
Iochoroma grandiflora light variety
Iochoroma purpureum
Iochoroma warscewiczii
Ipomoea alba
Ipomoea fistulosa
Ipomoea leari
Ipomoea mauritiana
Ipomoea purpurea
Isoplexis isabelliana
Isoplexis canariensis
Jasminum angulare
Jasminum azoricum
Jasminum nitidum
Jasminum officinale
Jasminum polyanthum
Jasminum revolutum
Lagunaria patersonii
Lantana sellowiana alba
Lantana camara 'Butterfly'
Lantana camara 'Cupfer Riese'
Lantana camara 'Goldsonne'
Lantana camara 'Ingelsheimer'
Lantana camara 'Old Rose'
Lantana camara 'Slot Ortenburg'
Lavatera maritima
Leptospermum scoparium light pink
double
Leptospermum scoparium 'Red Dam'
Leptospermum scoparium pink
Leptospermum scoparium dark blue
Mandevilla 'Alice du Pont'
Mandevilla amabilis
Mandevilla boliviensis
Mandevilla sanderi rosea
Mandevilla sanderi 'Scarlet Pimpernel'
Mandevilla suaveolens
Nerium oleander 'Album'
Nerium oleander 'Alassio'
Nerium oleander 'Alsace'
Nerium oleander 'Luteum Pplenium'
Nerium oleander 'Mont Blanc'
Nerium oleander 'Petite Red'
Nerium oleander 'Petite Salmon'
Nerium oleander 'Sealy Pink'
Nerium oleander 'Soleil Levant'
Nerium oleander 'Ville de la Londe'
Pandorea jasminoides

Pandorea jasminoides 'Alba'
Pandorea jasminoides 'Rosea'
Podranea brysei
Podranea ricasoliana
Solanum bonariense
Solanum crispum 'Glasnevin'
Solanum jasminoides
Solanum rantonnettii
Solanum wendlandii
Tibouchina nana
Tibouchina urvilliana
Wattakaka sinensis

RECOMMENDED YELLOWS

Abutilon 'Citronella'
Abutilon 'Lemon Bells'
Abutilon 'Yellow Bells'
Abutilon 'Giant Yellow'
Allamanda carthartica
Arctotheca
Asclepias currasavica 'Silky Gold'
Bauhinia tomentosa
Bidens ferulifolia aurea
Bougainvillea 'California Gold'
Bougainvillea 'Australian Gold'
Brugmansia 'Gelber Riese'
Brugmansia suaveolens 'Gold'
Brugmansia suaveolens 'Goldtraum'
Brugmansia sanguinea flava
Cassia artemisioides
Cassia corymbosa
Cassia didymobotria
Cassia floribunda
Cestrum hybrid apricot-coloured
Cestrum nocturnum
Crotalaria agatiflora
Cytisus 'Porlock'
Cytisus x racemosa
Erysimum 'Moonlight'
Fremontodendron californicum
Jasminum 'Mesnyi'
Jasminum revolutum
Juanilla aurantiaca
Lantana camara 'Cupfer Riese'
Lantana camara 'Goldsonne'
Lantana camara 'Ingelsheimer'
Lantana yellow
Limnanthus douglasii
Lysimachia nummularia
Medicago arborea
'Million Bells' yellow
Mussaendra 'Snowflake'
Nerium oleander 'Luteum Plenum'
Phygelius aqualis 'Yellow Trumpet'
Reinwardtia indica
Streptosolen jamesonii yellow
Tagetes
Tecoma capensis yellow
Tecoma castanifolia
Tecoma x smithii
Thevetia peruviana
Thunbergia alata light yellow
Thunbergia gregorii
Thunbergia gregorii x alata yellow

RECOMMENDED ORANGES

Abutilon 'Mini Orange'
Abutilon 'Orange Vein'
Abutilon 'Souvenir de Bonn'
Asclepias currasavica
Bougainvillea 'California Gold'
Bougainvillea 'Rosenka'
Cestrum aurantiacum
Lantana camara 'Butterfly'
Lantana camara 'Slot Ortenburg'
Lantana orange
Leonotis leonurus
Mimulus 'Tangerine'
Punica granatum
Punica granatum flora plena
Quamoclit pennata orange
Senecio confusus large
Senecio confusus small
Streptosolen jamesonii orange
Tagetes
Tecoma capensis orange
Tropaeolum

RECOMMENDED REDS

Alpinia purpurata
Anagallis 'Scarlet'
Cestrum newellii
Cytisus canariensis
Dahlia 'Bishop of Llandaff'
Hibiscus 'Double Mini Skirt'
Hibiscus 'Geisha'
Hibiscus coccineus
Hibiscus moscheutos
Jatropha integerrima
Jatropha podagrica
Kennedia coccinea
Leptospermum scoparium 'Red Dam'
Mandevilla sanderi 'Scarlet Pimpernel'
'Million Bells' red
'Million Bells' Cherry
Mimulus bifidus 'Wine'
Mimulus 'Strawberry Wine'
Nemesia strumosa 'Mello Red and White'
Nerium oleander 'Alassio'
Nerium oleander 'Alsace'
Nerium oleander 'Petite Red'
Nerium oleander 'Ville de la Londe'
Pentas lanceolata 'Royal Red'
Quamoclit pennata
Russelia equisetiformis
Salvia splendens red
Tropaeolum
Verbena

RECOMMENDED PINKS

Allamanda carthartica 'Cherry Sunset'
Angelonia rosea
Bougainvillea var. 'Dwarf Pink'
Bougainvillea 'Italia Pink'
Bougainvillea spectabilis
Fuchsia arborescens

Hardenbergia violacea 'Pink Cascade'
Hibiscus schizopetalus
Ipomoea fistulosa
Lantana camara 'Ingelsheimer'
Lantana camara 'Old Rose'
Lantana montevidensis pink
Lavatera 'Barnsley'
Leptospermum scoparium light pink
double
Leptospermum scoparium pink
Mandevilla 'Alice du Pont'
Mandevilla amabilis
Mandevilla sanderi rosea
Medinella magnifica
Nerium oleander 'Sealy Pink'
Pandorea jasminoides
Pandorea jasminoides 'Rosea'
Pentas lanceolata 'Paradise'
Pentas lanceolata 'Bright Pink'
Pentas lanceolata 'Pink'
Pentas lanceolata 'Candy Stripe'
Salvia splendens pink
Tibouchina melastoma
Tibouchina rosea
Verbena

RECOMMENDED WHITES

Acnictus australis alba
Agapanthus umbellatus alba
Alyssum 'Snow Crystals'
Angelonia alba
Anthemis punctata subsp. *cupaniana*
Antirrhinum white and yellow
Arabis flora plena
Asarina scandens 'Bride's White'
Bacopa 'Snowflake'
Bougainvillea 'Appleblossom'
Bouvardia longiflora
Brugmansia arb. 'Engels Glocken'
Brugmansia candida 'Double White'
Brugmansia candida 'Weisz'
Brugmansia versicolor
Brugmansia versicolor 'Kew'
Brugmansia candida plena
Carpenteria californica
Choisya 'Aztec Pride'
Choisya ternata
Cistus cyprius
Cistus salviifolius
Citrus
Convolvulus cneorum
Duranta repens alba
Felicia ameloides variegata alba
Gardenia jasminoides
Gardenia augusta 'August B.'
Gardenia 'Belmone'
Gardenia 'Coral Gold'
Gardenia 'Miami Supreme'
Hardenbergia violacea alba
Heliotropium arborescens alba
Heliotropium alba
Hosta sieboldii 'Snowflake'
Ipomoea alba
Jasminum angulare

Jasminum azoricum
Jasminum nitidum
Jasminum officinale
Jasminum polyanthum
Jasminum sambac
Lantana sellowiana alba
Lantana montevidensis white
Ligustrum japonicum texanum
Limnanthus douglasii
Mandevilla boliviensis
'Million Bells' white
Mimulus aurantiacus white
Murraya exotica
Mussaendra 'Snowflake'
Myrtus communis
Myrtus communis nana
Nemesia strumosa 'Mello White'
Nerium oleander 'Album'
Nerium oleander 'Mont Blanc'
Pandorea jasminoides 'Alba'
Pelargonium stellar 'Arctic Star'
Pentas lanceolata 'Alba'
Plumbago auriculata alba
Rosmarinus officinalis 'Sissinghurst White'
Russelia equisetiformis alba
Scaevola aemula 'Alba'
Solanum bonariense
Solanum jasminoides
Thevetia peruviana alba
Thunbergia alata white
Verbena
Wattakaka sinensis

RECOMMENDED BLUES

Acnictus australis
Agapanthus umbellatus
Agapanthus 'Blue Giant'
Agapanthus 'Blue Moon'
Alyogyne huegii
Anagallis monelli
Angelonia gardneri
Brachyscome iberifolia
Brachyscome
Brachyscome iberifolia
Brunfelsia hopeana
Brunfelsia pauciflora
Brunfelsia pauciflora 'Macrantha'
Clerodendron ugandense
Convolvulus mauretanicum
Duranta repens
Eranthemum nervosum
Felicia ameloides blue
Felicia ameloides variegata
Hardenbergia violacea
Heliotropium arborescens
Iochroma cyaneum
Iochroma grandiflora
Iochroma purpureum
Iochroma warscewiczii
Ipomoea leari
Ipomoea purpurea
Lobelia erinus 'Cambridge Blue'
'Million Bells' Carillon Blue

Monopsis kapablu
Nemesia strumosa 'KLM'
Nepeta subsessilis
Plumbago auriculata
Rosmarinus officinalis 'Boule'
Scaevola aemula 'Blue Fan'
Solanum crispum 'Glasnevin'
Solanum rantonnettii
Solanum rantonnettii 'Outre Mer'

Solanum rantonnettii 'Royal Robe'
Solanum wendlandii
Sollya heterophylla
Streptocarpus saxorum
Thunbergia battiscombii
Thunbergia erecta
Thunbergia grandiflora
Thunbergia lancifolia
Thunbergia laurifolia

Thunbergia natalensis
Tibouchina grandiflora
Tibouchina nana
Tibouchina urvalliana
Torenia 'Summerwave Blue'
Verbena
Viola 'Winona Cawthorne'
Viola 'Columbine'

1001 CONTAINER PLANTS

With 1001 different plants for the conservatory, terrace, patio, balcony and windowsill, **1001 CONTAINER PLANTS** has a broad selection of plants and plant families to suit almost any situation. For each plant there is a photograph, a physical description plus information on the best position and care for the plant with easy-to-use symbols.

This practical book includes:

- 500 conservatory plants
- easy-to-grow plants with low maintenance
- longer-blooming plants
- plants for the autumn and winter garden
- leaf plants that combine well with flowering plants.

Helpful listings of different categories of plants, such as 'suitable for the sun', 'suitable for shadow' and 'early spring-flowering', will help readers choose the right plant for the right place.

1001 CONTAINER PLANTS is the ideal reference for those who wish to create attractive potted plant displays. Packed with useful knowledge and vibrant pictures of beautiful plants, it will inspire both the amateur and more seasoned gardener to make the most of the container plant's potential.

£17.99


ISBN 0 7134 8652 X

For further information on Batsford books, write to:

B.T. Batsford
9 Blenheim Court
Brewery Road
London N7 9NT

Or visit our website at www.batsford.com

ISBN 0 7134 8652 X



9 780713 486520